



لیست قیمت رسمی پائیز ۱۴۰۱

تارتن دژ آریانا

فروش محصولات داهوا

تمامی کالاها دارای ۲۴ ماه گارانتی پارس ارتباط

۰۲۱-۹۱۰۰۹۵۵۵

۰۹۹۳-۳۲۴۰۸۹۹



1

2

3

4

Dahua

DH-HAC-B1A21P-0360B

DH-HAC-B2A21P-0360B

DH-HAC-HFW1200DP-0360B-S5

DH-HAC-HFW1200CMP



Price (Rials)

۸,۰۰۰,۰۰۰

۹,۰۷۰,۰۰۰

۱۳,۴۸۰,۰۰۰

۱۰,۳۲۰,۰۰۰

Camera Type

Bullet

Bullet

Bullet

Bullet

Imaging Sensor

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

Resolution

HD1080P

HD1080P

HD1080P

HD1080P

Signal System

CVI, TVI, AHD, CVBS

CVI, TVI, AHD, CVBS

CVI, TVI, AHD, CVBS

CVI, TVI, AHD, CVBS

Min. Illustration

0.04Lux/F2.0

0.04Lux/F1.85

0.02Lux/F1.9

0.02Lux/F1.9

Lens

3.6 Fixed

3.6 Fixed

3.6 Fixed

3.6 Fixed

Viewing Angle

82°

93°

84°

84°

IR Range

Up to 20m

Up to 20m

Up to 80m

Up to 30m

Body Type

Plastic

Metal

Plastic

Metal

IP Standard

IP67

IP67

IP67

IP67

OSD Menu

No

Yes

No

Yes

WDR

DWDR

DWDR

DWDR

DWDR

Power Supply

12 VDC

12 VDC

12 VDC

12 VDC

Other Features

Smart IR, HLC, BLC, 2D DNR,AWB, AGC, Switchable

Smart IR, HLC, BLC, 2D DNR,AWB, AGC, Switchable

Smart IR, HLC, BLC, 2D NR, Switchable

Smart IR, HLC, BLC, Switchable. Built in mic

5

6

7

8

Dahua

DH-HAC-HFW1200TLP-A

DH-HAC-HFW1231RP-Z-A

DH-HAC-HFW1209TLMP-LED-0360B

DH-HAC-HFW1239TP-LED




Price (Rials)	۱۱,۹۰۰,۰۰۰	۲۶,۹۸۰,۰۰۰	۱۱,۷۱۰,۰۰۰	۱۵,۰۸۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Bullet
Imaging Sensor	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Resolution	HD1080P	HD1080P	HD1080P	HD1080P
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.02Lux/F1.9	0.002Lux/F1.5	0.001Lux/F1.6	0.001Lux/F1.6
Lens	3.6 Fixed	Motorized (2.7-12 mm)	3.6 Fixed	3.6 Fixed
Viewing Angle	84°	102°-33°	86.9°	86.9°
IR Range	Up to 80m	Starlight Up to 80m	Starlight Up to 20m	Starlight Up to 20m
Body Type	Metal	Metal	Plastic & Metal	Metal
IP Standard	IP67	IP67	IP67	IP67
OSD Menu	Yes	No	Yes	Yes
WDR	DWDR	WDR 130db	WDR 130db	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, HLC, BLC, Switchable. Built in mic	Smart IR, HLC, BLC, 3D NR, Switchable. Built in mic	Smart IR, HLC, BLC, AWB, AGC, Switchable. Built in mic	Smart IR, HLC, BLC, Switchable, Built in mic

9

10

11

12

Dahua

DH-HAC-HFW1200TLP-0360B-S5

DH-HAC-HFW1200TP-A-0360B-S5

DH-HAC-HFW1200TL-A

DH-HAC-HFW1200THP-I4




Price (Rials)	۱۰,۶۳۰,۰۰۰	۱۰,۵۵۰,۰۰۰	۱۰,۹۰۰,۰۰۰	۱۲,۳۱۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Bullet
Imaging Sensor	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Resolution	HD1080P	HD1080P	HD1080P	HD1080P
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.02Lux/F1.9	0.02Lux/F1.9	0.02Lux/F1.9	0.02Lux/F1.9
Lens	3.6 Fixed	3.6 Fixed	3.6 Fixed	3.6 Fixed
Viewing Angle	84°	84°	84°	84°
IR Range	Up to 40m	Up to 30m	Up to 80m	Up to 40m
Body Type	Metal	Metal	Metal	Plastic & Metal
IP Standard	IP67	IP67	IP67	IP67
OSD Menu	No	No	Yes	No
WDR	DWDR	DWDR	DWDR	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, HLC, BLC, 2D NR, AGC, AWB, Switchable	Smart IR, HLC, BLC, 2D NR, Built in mic, Switchable	Smart IR, HLC, BLC, Switchable. Built in mic	Smart IR, HLC, BLC, 2D NR, Switchable

13

14

15

16

Dahua

DH-HAC-HFW1200THP-I8

DH-HAC-HFW1200TP-A

DH-HAC-HFW1200RP-Z-IRE6

DH-HAC-HFW1209CP-LED-0360B




Price (Rials)	۱۳,۱۰۰,۰۰۰	۱۰,۲۷۰,۰۰۰	۲۳,۰۱۰,۰۰۰	۱۰,۰۲۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Bullet
Imaging Sensor	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Resolution	HD1080P	HD1080P	HD1080P	HD1080P
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.02Lux/F1.9	0.02Lux/F1.9	0.02Lux/F1.8	0.01Lux/F1.6
Lens	2.8- 3.6 Fixed	3.6 Fixed	Motorized (2.7–12 mm)	3.6 Fixed
Viewing Angle	101°/84°	84°	105.9°-33.4°	86.9°
IR Range	Up to 80m	Up to 30m	Starlight/ Up to 60m	Starlight/ Up to 20m
Body Type	Plastic & Metal	Metal	Metal	Metal
IP Standard	IP67	IP67	IP67	IP67
OSD Menu	No	No	Yes	Yes
WDR	DWDR	DWDR	DWDR	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, HLC, BLC, 2D NR, Switchable	Smart IR, HLC, BLC, 2D NR, Switchable, Built in mic	Smart IR, HLC, BLC, 2D NR, Switchable, AGC	Smart IR, HLC, BLC, Switchable

17

18

19

20

Dahua

DH-HAC-HFW1209CMP-LED-0360B

DH-HAC-HFW1200CMP-A

DH-HAC-T1A21P-0280B

DH-HAC-T1A21P-0360B




Price (Rials)	۱۱,۲۱۰,۰۰۰	۱۱,۱۱۰,۰۰۰	۷,۸۹۰,۰۰۰	۷,۰۶۰,۰۰۰
Camera Type	Bullet	Bullet	Dome	Dome
Imaging Sensor	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Resolution	HD1080P	HD1080P	HD1080P	HD1080P
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.01Lux/F1.6	0.02Lux/F1.9	0.04Lux/F2.0	0.04Lux/F2.0
Lens	3.6 Fixed	3.6 Fixed	2.8 Fixed	3.6 Fixed
Viewing Angle	86.9°	84°	100°	82°
IR Range	Starlight/ Up to 20m	Up to 30m	Up to 20m	Up to 20m
Body Type	Metal	Metal	Plastic	Plastic
IP Standard	IP67	IP67	IP67	IP67
OSD Menu	Yes	Yes	Yes	Yes
WDR	DWDR	DWDR	DWDR	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, HLC, BLC, Switchable	Smart IR, HLC, BLC, Switchable, Built in Mic	Smart IR, HLC, BLC, 2D DNR,AWB, AGC, Switchable	Smart IR, HLC, BLC, 2D DNR,AWB, AGC, Switchable

21

22

23

24

Dahua

DH-HAC-T2A21P-0280B

DH-HAC-T2A21P-0360B

DH-HAC-HDW1200TRQP-A-0280B-S5

DH-HAC-HDW1200TRQP-A-0360B




Price (Rials)	۹,۵۲۰,۰۰۰	۸,۴۳۰,۰۰۰	۱۰,۴۲۰,۰۰۰	۹,۵۲۰,۰۰۰
Camera Type	Dome	Dome	Dome	Dome
Imaging Sensor	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Resolution	HD1080P	HD1080P	HD1080P	HD1080P
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.04Lux/F2.0	0.04Lux/F2.0	0.02Lux/F1.9	0.02Lux/F1.9
Lens	2.8 Fixed	3.6 Fixed	2.8 Fixed	3.6 Fixed
Viewing Angle	100°	84°	101°	84°
IR Range	Up to 20m	Up to 20m	Up to 25m	Up to 25m
Body Type	Metal	Metal	Plastic	Plastic
IP Standard	IP67	IP67	IP50	IP50
OSD Menu	Yes	Yes	Yes	Yes
WDR	DWDR	DWDR	DWDR	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, HLC, BLC, 2D DNR,AWB, AGC, Switchable	Smart IR, HLC, BLC, 2D DNR,AWB, AGC, Switchable	Smart IR, HLC, BLC, Switchable. Built in mic	Smart IR, HLC, BLC, Switchable. Built in mic, 2D NR

25

26

27

28

Dahua

DH-HAC-HDW1209TLQP-A-LED-0280B

DH-HAC-HDW1239TP-A-LED-0280B-S2

DH-HAC-HDW1209TLQP-LED-0280B

DH-HAC-HDW1200EMP-A-S4




Price (Rials)	۱۱,۲۲۰,۰۰۰	۱۶,۸۳۰,۰۰۰	۱۰,۴۲۰,۰۰۰	۱۲,۴۲۰,۰۰۰
Camera Type	Dome	Dome	Dome	Dome
Imaging Sensor	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Resolution	HD1080P	HD1080P	HD1080P	HD1080P
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.01Lux/F1.6	0.001Lux/F1.6	0.01Lux/F1.6	0.02Lux/F1.85
Lens	2.8 Fixed	2.8 Fixed	2.8 Fixed	2.8 Fixed
Viewing Angle	106°	107°	106°	103°
IR Range	Starlight/Up to 20m	Starlight/Up to 40m	Starlight/Up to 20m	Up to 50m
Body Type	Plastic & Metal	Plastic	Plastic & Metal	Metal
IP Standard	IP67	IP67	IP67	IP67
OSD Menu	Yes	Yes	No	Yes
WDR	DWDR	WDR 130db	DWDR	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, BLC, Switchable. Built in mic	Smart IR, HLC, BLC,3D DNR, Switchable, Built in mic	Smart IR, HLC, BLC,2D DNR, AGC, Switchable	Smart IR, HLC, BLC,2D DNR, AGC, Switchable, Built in mic

29

30

31

32

Dahua

DH-HAC-HDW1200EMP-A-0280B-S5

DH-HAC-HDW1200MP-S5

DH-HAC-HDW1200MP-0280B-S5

DH-HAC-HFW1400CMP




Price (Rials)	۱۱,۳۷۰,۰۰۰	۹,۱۸۰,۰۰۰	۱۰,۳۲۰,۰۰۰	۱۲,۸۲۰,۰۰۰
Camera Type	Dome	Dome	Dome	Bullet
Imaging Sensor	2 Megapixel	2 Megapixel	2 Megapixel	4 Megapixel
Resolution	HD1080P	HD1080P	HD1080P	4MP (2560×1440)
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.02Lux/F1.85	0.02Lux/F1.9	0.02Lux/F1.9	0.02Lux/F2.0
Lens	2.8 Fixed	3.6 Fixed	2.8 Fixed	3.6 Fixed
Viewing Angle	101°	84°	101°	87°
IR Range	Up to 50m	Up to 30m	Up to 30m	Up to 30m
Body Type	Metal	Metal	Metal	Metal
IP Standard	IP67	IP67	IP67	IP67
OSD Menu	No	No	No	Yes
WDR	DWDR	DWDR	DWDR	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, HLC, BLC,2D DNR, AGC, Switchable, Built in mic	Smart IR, HLC, BLC,2D DNR, Switchable	Smart IR, HLC, BLC,2D DNR, Switchable	Smart IR, HLC, BLC,2D DNR, AWB, AGC, E-Defog, Switchable

33

34

35

36

Dahua

DH-HAC-HFW1400DP-0360B-S3

DH-HAC-HDW1400TRQP-0280B-S3

DH-HAC-HDW1400TRQP-A-0280B-S3

DH-HAC-B1A51P




Price (Rials)	۱۷,۲۶۰,۰۰۰	۸,۰۷۰,۰۰۰	۹,۶۲۰,۰۰۰	۱۲,۷۰۰,۰۰۰
Camera Type	Bullet	Dome	Dome	Bullet
Imaging Sensor	4 Megapixel	4 Megapixel	4 Megapixel	5 Megapixel
Resolution	4MP (2560×1440)	4MP (2560×1440)	4MP (2560×1440)	5MP (2880×1620)
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.02Lux/F2.0	0.02Lux/F2.0	0.02Lux/F2.0	0.02Lux/F2.0
Lens	3.6 Fixed	2.8 Fixed	2.8 Fixed	3.6 Fixed
Viewing Angle	87°	105°	105°	88°
IR Range	Up to 80m	Up to 25m	Up to 25m	Up to 20m
Body Type	Metal	Plastic	Plastic	Plastic
IP Standard	IP67	IP50	IP50	IP67
OSD Menu	No	Yes	Yes	Yes
WDR	DWDR	DWDR	DWDR	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, HLC, BLC, 2D DNR, AWB, AGC, Switchable	Smart IR, HLC, BLC, 2D DNR, AWB, AGC, E-Defog, Switchable	Smart IR, HLC, BLC, 2D, Switchable	Smart IR, HLC, BLC, AGC, Switchable

37

38

39

40

Dahua

DH-HAC-B2A51P-0360B-S2

DH-HAC-HFW1500THP-I8-0360B

DH-HAC-HFW1500TLP

DH-HAC-HFW1500CMP




Price (Rials)	۱۳,۶۸۰,۰۰۰	۱۸,۸۶۰,۰۰۰	۱۵,۸۷۰,۰۰۰	۱۶,۶۵۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Bullet
Imaging Sensor	5 Megapixel	5 Megapixel	5 Megapixel	5 Megapixel
Resolution	5MP (2880×1620)	5MP (2560×1944)	5MP (2560×1944)	5MP (2560×1944)
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.02Lux/F2.0	0.005Lux/F1.6	0.02Lux/F1.85	0.005Lux/F1.6
Lens	3.6 Fixed	3.6 Fixed	3.6 Fixed	3.6 Fixed
Viewing Angle	88°	92°	98°	98°
IR Range	Up to 20m	Up to 80m	Starlight Up to 40m	Starlight Up to 30m
Body Type	Metal	Plastic	Plastic	Metal
IP Standard	IP67	IP67	IP67	IP67
OSD Menu	Yes	Yes	Yes	No
WDR	DWDR	DWDR	DWDR	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC - PoC (CVI)
Other Features	Smart IR, HLC, BLC, 2D NR, AGC, Switchable	Smart IR, HLC, BLC, 2D DNR, AWB, AGC, E-Defog, Switchable	Smart IR, HLC, BLC, 2D NR, AGC, Switchable	Smart IR, HLC, BLC, 2D NR, AGC, Switchable-Built in Mic

41

42

43

44

Dahua

DH-HAC-HFW1509TLMP-LED

DH-HAC-HFW1509TLMP-A-LED

DH-HAC-HFW1500TP-0360B-S2

DH-HAC-HFW1500TP-A-S2-0360B



Price (Rials)	۱۹,۸۲۰,۰۰۰	۲۱,۴۲۰,۰۰۰	۱۵,۰۶۰,۰۰۰	۱۵,۶۱۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Bullet
Imaging Sensor	5 Megapixel	5 Megapixel	5 Megapixel	5 Megapixel
Resolution	5MP (2592×1944)	5MP (2592×1944)	5MP (2592×1944)	5MP (2592×1944)
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.005Lux/F1.2	0.005Lux/F1.2	0.005Lux/F1.2	0.02Lux/F1.85
Lens	3.6 Fixed	3.6 Fixed	3.6 Fixed	3.6 Fixed
Viewing Angle	83°	83°	83°	77.5°
IR Range	Starlight Up to 40m	Color Up to 40m	Up to 30m	Up to 30m
Body Type	Plastic & Metal	Plastic & Metal	Plastic & Metal	Metal
IP Standard	IP67	IP67	IP67	IP67
OSD Menu	Yes	Yes	Yes	Yes
WDR	DWDR	WDR 120db	WDR 120db	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, HLC, BLC,2D NR, Switchable-Built in Mic	Smart IR, HLC, BLC,3D NR, Switchable-Built in Mic	Smart IR, HLC, BLC,3D NR, Switchable-Built in Mic	Smart IR, HLC, BLC, 2D NR, Switchable, AGC

45

46

47

48

Dahua

DH-HAC-HFW1500DP(S)

DH-HAC-HFW1500RP-Z-IRE6

DH-HAC-T2A51P

DH-HAC-HDW1500TRQP-A




Price (Rials)	۲۱,۰۱۰,۰۰۰	۳۰,۱۵۰,۰۰۰	۱۴,۲۸۰,۰۰۰	۱۴,۲۸۰,۰۰۰
Camera Type	Bullet	Bullet	Dome	Dome
Imaging Sensor	5 Megapixel	5 Megapixel	5 Megapixel	5 Megapixel
Resolution	5MP (2880×1620)	5MP (2880×1620)	5MP (2560×1944)	5MP (2560×1944)
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.005Lux/F1.6	0.005Lux/F1.6	0.02Lux/F2.0	0.005Lux/F1.6
Lens	3.6 Fixed	Motorized (2.7–12 mm)	3.6 Fixed	2.8 Fixed
Viewing Angle	92°	107°-34°	88°	105°
IR Range	Up to 80m	Up to 60m	Up to 20m	Up to 30m
Body Type	Metal	Metal	Metal	Plastic
IP Standard	IP67	IP67	IP67	IP50
OSD Menu	No	Yes	Yes	Yes
WDR	DWDR	DWDR	DWDR	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, HLC, BLC, 2D DNR, Switchable	Smart IR, HLC, BLC, 2D NR, AGC, Switchable	Smart IR, HLC, BLC, AGC, Switchable	Smart IR, HLC, BLC, 2D DNR, Switchable, Built in Mic

49

50

51

52

Dahua

DH-HAC-HDW1500TLMQP-0280B-S2

DH-HAC-HDW1509TLP-A-LED

DH-HAC-HDW1509TLQP-LED-0280B

DH-HAC-HDW1509TLQP-A-LED




Price (Rials)	۱۵,۲۲۰,۰۰۰	۱۹,۶۱۰,۰۰۰	۲۲,۲۰۰,۰۰۰	۲۱,۴۲۰,۰۰۰
Camera Type	Dome	Dome	Dome	Dome
Imaging Sensor	5 Megapixel	5 Megapixel	5 Megapixel	5 Megapixel
Resolution	5MP (2560×1944)	5MP (2592×1944)	5MP (2880×1620)	5MP (2880×1620)
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.005Lux/F1.6	0.005Lux/F1.2	0.001Lux/F1.0	0.001Lux/F1.0
Lens	2.8 Fixed	3.6 Fixed	2.8 Fixed	3.6 Fixed
Viewing Angle	111°	77.5°	112°	88°
IR Range	Up to 30m	Starlight/Up to 20m	Up to 20m	Color Up to 20m
Body Type	Plastic & Metal	Metal	Metal	Metal
IP Standard	IP67	IP67	IP67	IP67
OSD Menu	No	-	Yes	No
WDR	DWDR	DWDR	WDR 120db	WDR 120db
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, HLC, BLC, 2D DNR, Switchable, Built in Mic	Smart IR, HLC, BLC, 2D NR, Switchable, Built in mic	Smart IR, HLC, BLC, 3D NR, Switchable	Smart IR, HLC, HLC Pro, BLC, 3D NR, Switchable- Built in Mic

53

54

Dahua

DH-SD42215-HC-LA

DH-SD59232-HC-LA




Price (Rials)	۱۱۴,۷۶۰,۰۰۰	۲۳۸,۹۵۰,۰۰۰
Camera Type	PTZ	PTZ
Imaging Sensor	2 Megapixel	2 Megapixel
Resolution	1920 x 1080	1920 x 1080
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.005Lux/F1.6	0.005Lux/F1.6
Lens	5-75 mm	4.5-144 mm
Viewing Angle	15x	32x
IR Range	Starlight	Starlight
Body Type	Plastic	Plastic
IP Standard	IP66/IK10	IP66
OSD Menu	No	No
WDR	Yes (120db)	Yes (120db)
Power Supply	DC 12V/3A	DC24V/2.5A
Other Features	EDefog, Rol, 3D DNR, HLC, BLC	EDefog, Rol, 2D & 3D DNR, HLC, BLC, Auto iris, Auto focus

55

56

57

58

Dahua

DH-XVR1B04-I

DH-XVR5104HS-I3

DH-XVR5104HS-4KL-I3

DH-XVR1B08-I



Price (Rials)

۲۰,۹۹۰,۰۰۰

۳۰,۰۰۰,۰۰۰

۴۳,۵۷۰,۰۰۰

۲۶,۰۰۰,۰۰۰

XVR Type

4 Ch. quadruple Hybrid
HD-CVI /AHD/ CVBS/TVI / IP4 Ch. quadruple Hybrid
HD-CVI /AHD/ CVBS/TVI / IP4 Ch. quadruple Hybrid
HD-CVI /AHD/ CVBS/TVI / IP8 Ch. quadruple Hybrid
HD-CVI /AHD/ CVBS/TVI / IP

Analog Video Input

4 Ch. HDCVI/AHD/TVI
Up to 2MP4 Ch. HDCVI/AHD/TVI
Up to 5MP4 Ch. HDCVI/AHD/TVI
Up to 4K8 Ch. HDCVI/AHD/TVI
Up to 2MP

IP Video Input

4+1 Ch. Up to 2MP

4+2 Ch. Up to 6MP

4+4 Ch. Up to 8MP

8+2 Ch. Up to 6MP

Audio Input/Output

1Ch. In / 1Ch. Out

1Ch. In / 1Ch. Out

1Ch. In / 1Ch. Out

1Ch. In / 1Ch. Out

Recording

2MP: 25/30FPS
720P: 60FPS5MP: 25/30FPS
4MP: 25/30FPS4K: 25/30FPS
6MP: 25/30FPS2MP: 25/30FPS
720P: 25/30FPS

Video Output

1 Port HDMI : 1080P
1 Port VGA1 Port HDMI : 1080P
1 Port VGA1 Port HDMI : 4K
1 Port VGA: 1080P1 Port HDMI
1 Port VGA

SATA Interface

1 HDD up to 6TB

1 HDD up to 6TB

1 HDD up to 10TB

1 HDD up to 6TB

Network Interface

1 RJ45 100M

1 RJ45 100M

1 RJ45 100M

1 RJ45 100M

Chassis

Standalone 1U

Standalone 1U

Standalone 1U

Standalone 1U

Other Features

AI Coding/H.265+/H.265/H.264+/H.264

AI Coding/H.265+/H.265/H.264+/H.264/
face recognition/Human/Vehicle
Classification, IoT SupportAI Coding/H.265+/H.265/H.264+/H.264/
face recognition/Human/Vehicle
Classification, IoT Support

H.265+/H.265/H.264+/H.264

59

60

61

62

Dahua

DH-XVR5108HS-I3

DHI-XVR5108HS-4KL

DH-XVR5108HS-4KL-I2

DH-XVR5108HS-4KL-I3



Price (Rials)	۴۵,۱۰۰,۰۰۰	۷۴,۷۰۰,۰۰۰	۶۸,۷۳۰,۰۰۰	۷۶,۹۰۰,۰۰۰
XVR Type	8 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	8 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	8 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	8 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP
Analog Video Input	8 Ch. HDCVI/AHD/TVI Up to 5MP	8 Ch. HDCVI/AHD/TVI Up to 8MP	8 Ch. HDCVI/AHD/TVI Up to 8MP	8 Ch. HDCVI/AHD/TVI Up to 8MP
IP Video Input	8+4 Ch. Up to 6MP	8+4 Ch. Up to 8MP	8+8 Ch. Up to 8MP	8+8 Ch. Up to 8MP
Audio Input/Output	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out
Recording	5MP: 25/30FPS 4MP: 25/30FPS	4K: 7FPS 5MP: 12FPS 4MP: 15FPS	4K: 25/30FPS 5MP: 25/30FPS 4MP: 25/30FPS	4K: 7FPS 5MP: 12FPS 4MP: 15FPS
Video Output	1 Port HDMI : 1080P 1 Port VGA	1 Port HDMI 1 Port VGA	1 Port HDMI 1 Port VGA	1 Port HDMI 1 Port VGA
SATA Interface	1 HDD up to 10TB	1 HDD up to 8TB	1 HDD up to 10TB	1 HDD up to 10TB
Network Interface	1 RJ45 100M	1 RJ45 1000M	1 RJ45 1000M	1 RJ45 1000M
Chassis	Standalone 1U	Standalone 1U	Compact 1U	Standalone 1U
Other Features	AI Coding/H.265+/H.265/H.264+/H.264/ face recognition/Human/Vehicle Classification, IoT Support	H.265+/H.265/H.264+/H.264	AI Coding/H.265+/H.265/H.264+/H.264	AI Codin/H.265+/H.265/H.264+/H.264

63

64

65

66

Dahua

DH-XVR5116H-I2

DH-XVR1B16-I

DH-XVR4116HS-I

DHI-XVR5116HS-S2



Price (Rials)

۷۲,۱۳۰,۰۰۰

۴۳,۵۲۰,۰۰۰

۵۱,۲۷۰,۰۰۰

۷۲,۴۸۰,۰۰۰

XVR Type

16 Ch. quadruple Hybrid
HD-CVI /AHD/ CVBS/TVI / IP16 Ch. quadruple Hybrid
HD-CVI /AHD/ CVBS/TVI / IP16 Ch. quadruple Hybrid
HD-CVI /AHD/ CVBS/TVI / IP16 Ch. quadruple Hybrid
HD-CVI /AHD/ CVBS/TVI / IP

Analog Video Input

16 Ch. HDCVI/AHD/TVI
Up to 5MP16 Ch. HDCVI/AHD/TVI
Up to 2MP16 Ch. HDCVI/AHD/TVI
Up to 2MP16 Ch. HDCVI/AHD/TVI
Up to 4MP

IP Video Input

16+8 Ch. Up to 6MP

16+2 Ch. Up to 6MP

2+16 Ch. Up to 6MP

16+8 Ch. Up to 5MP

Audio Input/Output

1Ch. In / 1Ch. Out

1Ch. In / 1Ch. Out

1Ch. In / 1Ch. Out

1Ch. In / 1Ch. Out

Recording

5MP: 25FPS
720P: 25FPS2MP: 25FPS
720P: 25FPS2MP: 25/30FPS
720P:25/30FPS4MP: 25/30FPS
720P:50/60FPS

Video Output

1 Port HDMI
1 Port VGA1 Port HDMI
1 Port VGA1 Port HDMI : 1080p
1 Port VGA : 1080p1 Port HDMI :1080p
1 Port VGA : 1080p

SATA Interface

1 HDD up to 10TB

1 HDD up to 6TB

1 HDD up to 16TB

1 HDD up to 8TB

Network Interface

1 RJ45 100M

1 RJ45 1000M

Chassis

Mini 1U

Standalone 1U

Compact 1U

Mini 1U

Other Features

H.265+/H.265

H.265+/H.265

AI
Coding/H.265+/H.265/H.264+/H.264

Smart H.264+/H.264, Smart Search

67

68

69

70

Dahua

DH-XVR5216AN-I2

DHI-XVR5216AN-S2

DHI-XVR5216AN-4KL

DH-XVR5216AN-4KL-I2



Price (Rials)

۷۴,۸۱۰,۰۰۰

۹۴,۵۰۰,۰۰۰

۱۳۶,۳۷۰,۰۰۰

۱۴۰,۸۵۰,۰۰۰

XVR Type

16 Ch. quadruple Hybrid
HD-CVI /AHD/ CVBS/TVI / IP16 Ch. quadruple Hybrid
HD-CVI /AHD/ CVBS/TVI / IP16 Ch. quadruple Hybrid
HD-CVI /AHD/ CVBS/TVI / IP16 Ch. quadruple Hybrid
HD-CVI /AHD/ CVBS/TVI / IP

Analog Video Input

16 Ch. HDCVI/AHD/TVI
Up to 5MP16 Ch. HDCVI/AHD/TVI
Up to 4MP16 Ch. HDCVI/AHD/TVI
Up to 5MP16 Ch. HDCVI/AHD/TVI
Up to 4K

IP Video Input

16+8 Ch. Up to 6MP

16+8 Ch. Up to 5MP

16+8 Ch. Up to 8MP

16+16 Ch. Up to 8MP

Audio Input/Output

1Ch. In / 1Ch. Out

1Ch. In / 1Ch. Out

1Ch. In / 1Ch. Out

1Ch. In / 1Ch. Out

Recording

5MP: 25/30FPS
720P:25/30FPS4MP: 25/30FPS
720P:50/60FPS5MP: 25/30FPS
720P:25/30FPS4K: 25/30FPS
720P:25/30FPS

Video Output

1 Port HDMI :4k
1 Port VGA : 1080p1 Port HDMI :1080p
1 Port VGA : 1080p1 Port HDMI :4k
1 Port VGA : 1080p1 Port HDMI :4k
1 Port VGA : 1080p

SATA Interface

2 HDD up to 10TB

2 HDD up to 8TB

2 HDD up to 10TB

2 HDD up to 10TB

Network Interface

1 RJ45 1000M

1 RJ45 1000M

1 RJ45 1000M

1 RJ45 1000M

Chassis

Standalone 1U

Penta-brid

Standalone 1U

Standalone 1U

Other Features

AI Coding/H.265+/H.265/H.264+/H.264,
Human/Vehicle secondary recognition for
tripwire and intrusion/AI Search
Search by target classification

Smart H.264+/H.264, Smart Search

H.265+/H.265/H.264+/H.264

AI Coding/H.265+/H.265/H.264+/H.264,
Human/Vehicle secondary recognition for
tripwire and intrusion/AI Search
Search by target classification

71

72

Dahua

DHI-XVR5232AN-S2

DH-XVR5232AN-I2



Price (Rials)	۱۴۲,۳۰۰,۰۰۰	۱۲۰,۲۷۰,۰۰۰
XVR Type	32 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	32 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP
Analog Video Input	32 Ch. HDCVI/AHD/TVI Up to 4MP	32 Ch. HDCVI/AHD/TVI Up to 5MP
IP Video Input	32 Ch. Up to 5MP	32 Ch. Up to 6MP
Audio Input/Output	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out
Recording	4MP: 25/30FPS 720P: 50/60FPS	5MP: 25/30FPS 720P: 25/30FPS
Video Output	1 Port HDMI :1080p 1 Port VGA	1 Port HDMI :4K 1 Port VGA
SATA Interface	2 HDD up to 8TB	2 HDD up to 10TB
Network Interface	1 RJ45 1000M	1 RJ45 1000M
Chassis	Standalone 1U	Penta-brid 1U
Other Features	H.264+/H.264, Smart Search, Face Detection	AI Coding/H.265+/H.265/H.264+/H.264, AI Search, Face Detection