



لیست قیمت رسمی پائیز ۱۴۰۱

تارتن دژ آریانا

فروش محصولات داهوا

تمامی کالاها دارای ۲۴ ماه گارانتی پارس ارتباط

۰۲۱-۹۱۰۰۹۵۵۵

۰۹۹۳-۳۲۴۰۸۹۹



	1	2	3	4
Dahua	DH-IPC-HFW1230S1P-0360B-S5	DH-IPC-HFW1239S1-LED-0360-S5	DH-IPC-HFW2230SP-S-S2	DH-IPC-HFW2231SP-S2-0360B



Price (Rials)	۲۰,۷۱۰,۰۰۰	۲۴,۳۴۰,۰۰۰	۲۶,۸۸۰,۰۰۰	۳۴,۰۹۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Bullet
Max Resolution	2MP(1920×1080) @25/30fps	2MP(1920×1080) @25/30fps	2MP(1920×1080) @25/30fps	2MP(1920×1080) @25/30fps
Sensor Size	1/2.8"	1/2.8"	1/2.7"	1/2.8"
Lens	3.6 Fixed	3.6 Fixed	3.6 Fixed	3.6 Fixed
Viewing Angle	84°	88°	91°	87°
Night Vision Distance	IR 30 M	Warm Light 10/15M	IR 30 M	Starlight/ IR 30M
Dynamic Range	DWDR	DWDR	DWDR	WDR 120db
Built in Mic	No	No	No	No
SD Card Support	No	No	Yes (Up to 256G)	Yes (Up to 256G)
Power Supply	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
Video Compression	SMART H.264+/H.265+	SMART H.264+/H.265+	SMART H.264+/H.265+	SMART H.264/H.265
Protection	IP67	IP67	IP67	IP67
Other Features	3D NR, HLC, BLC, digital watermarking, ROI	3D NR, HLC, BLC, digital watermarking, ROI, Motion detection, video tampering,	3D NR, HLC, BLC, digital watermarking, ROI, Motion detection, video tampering,	3D NR, HLC, BLC, digital watermarking, ROI

	5	6	7	8
Dahua	DH-IPC-HFW1230S-S5	DH-IPC-HFW1230SP-0360B-S5	DH-IPC-HFW2239SP-SA-LED-S2	DH-IPC-HDW1239T1P-LED-0280B-S5-QH2



Price (Rials)	۲۱,۲۹۰,۰۰۰	۲۲,۵۰۰,۰۰۰	۳۱,۷۹۰,۰۰۰	۱۹,۰۱۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Dome
Max Resolution	2MP(1920×1080) @25/30fps	2MP(1920×1080) @25/30fps	2MP(1920×1080) @20fps	2MP(1920×1080) @25/30fps
Sensor Size	1/2.7"	1/2.7"	1/2.8"	1/2.8"
Lens	3.6 Fixed	3.6 Fixed	2.8 Fixed	2.8 Fixed
Viewing Angle	84°	84°	107°	106°
Night Vision Distance	IR 30M	IR 30M	Warmlight/ IR 30 M	Warmlight/IR 30M
Dynamic Range	DWDR	DWDR	WDR 120db	DWDR
Built in Mic	No	No	Yes	No
SD Card Support	No	No	Yes (Up to 256G)	No
Power Supply	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
Video Compression	H.265+/H.264+/H.265/H.264H/MJPEG	H.265+/H.264+/H.265/H.264H/MJPEG	H.265+/H.264+/H.265/H.264H/MJPEG	H.265+/H.264+/H.265/H.264H/MJPEG
Protection	IP67	IP67	IP67	IP67
Other Features	3D NR, BLC, HLC, ROI	3D NR, BLC, HLC, ROI	3D NR, HLC, BLC, ROI, Intelligent detection: Intrusion, tripwire	3D NR, BLC, HLC, ROI

	9	10	11	12
<b>Dahua</b>	DH-IPC-HDW1239T1-LED-0280-S5	DH-IPC-HDW2239TP-AS-LED-S2	DH-IPC-HDW1230T1P-0280B-S5	DH-IPC-HDW2230T-AS-S2
				
<b>Price (Rials)</b>	۲۱,۴۸۰,۰۰۰	۳۱,۷۹۰,۰۰۰	۲۳,۴۷۰,۰۰۰	۲۹,۳۶۰,۰۰۰
<b>Camera Type</b>	Dome	Dome	Dome	Dome
<b>Max Resolution</b>	2MP(1920×1080) @25/30fps	2MP(1920×1080) @20fps	2MP(1920×1080) @25/30fps	2MP(1920×1080) @25/30fps
<b>Sensor Size</b>	1/2.7"	1/2.8"	1/2.7"	1/2.7"
<b>Lens</b>	2.8 Fixed	2.8/3.6 Fixed	2.8 Fixed	2.8/3.6 Fixed
<b>Viewing Angle</b>	110°	107° /91°	102°	110°/91°
<b>Night Vision Distance</b>	Warmlight/ IR 15M	Warmlight/ IR 30 M	IR 30M	IR 30 M
<b>Dynamic Range</b>	DWDR	WDR 120db	DWDR	DWDR
<b>Built in Mic</b>	No	Yes	No	Yes
<b>SD Card Support</b>	No	Yes (Up to 256G)	No	Yes (Up to 256G)
<b>Power Supply</b>	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
<b>Video Compression</b>	H.265+/H.264+/H.265/H.264H/MJPEG	H.265+/H.264+/H.265/H.264H/MJPEG	H.265+/H.264+/H.265/H.264H/MJPEG	SMART H.264+/H.265+
<b>Protection</b>	IP67	IP67	IP67	IP67
<b>Other Features</b>	3D NR, BLC, HLC	3D NR, HLC, BLC, ROI, Intelligent detection: Intrusion, tripwire	3D NR, BLC, HLC, AWB, AGC, ROI, EIS	3D NR, HLC, BLC, digital watermarking, ROI, Motion detection, video tampering,

13

14

15

16

Dahua

DH-IPC-HDW2231TM-AS-S2

DH-IPC-HDW2231TP-AS-0280B-S2

DH-IPC-HDBW2231E-S-S2

DH-IPC-HFW1431SP-0360B-S4




Price (Rials)	۳۲,۶۰۰,۰۰۰	۳۲,۰۵۰,۰۰۰	۲۸,۵۵۰,۰۰۰	۳۳,۲۶۰,۰۰۰
Camera Type	Dome	Dome	Dome	Bullet
Max Resolution	2MP(1920×1080) @25/30fps	2MP(1920×1080) @25/30fps	2MP(1920×1080) @25/30fps	4MP(2560×1440) @25/30fps
Sensor Size	1/2.8"	1/2.8"	1/2.8"	1/3"
Lens	2.8/3.6 Fixed	2.8 Fixed	2.8/3.6 Fixed	3.6 Fixed
Viewing Angle	107°/88°	107°	107°/88°	81°
Night Vision Distance	IR 30M	Starlight/ IR 30M	IR 30M	IR 30 M
Dynamic Range	WDR 120db	WDR 120db	WDR 120db	WDR 120db
Built in Mic	Yes	Yes	Yes	No
SD Card Support	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)	No
Power Supply	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
Video Compression	SMART H.264+/H.265+	SMART H.264+/H.265+	H.265;/ H.264/ H.264B/ MJPEG	SMART H.264/H.265
Protection	IP67	IP67	IP67, IK10	IP67
Other Features	3D NR, HLC, BLC, digital watermarking, ROI	3D NR, HLC, BLC, digital watermarking, ROI	3D NR, HLC, BLC, digital watermarking, ROI	3D NR, HLC, BLC, ROI, digital watermarking, Motion detection, video tampering

	17	18	19	20
Dahua	DH-IPC-HFW1431S1P-S4	DH-IPC-HFW2431SP-S-0360B-S2	DH-IPC-HFW2431TP-ZS-27135-S2	DH-IPC-HFW2439MP-AS-LED-B-S2



Price (Rials)	۲۴,۴۳۰,۰۰۰	۳۲,۸۵۰,۰۰۰	۶۶,۹۳۰,۰۰۰	۳۷,۲۹۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Bullet
Max Resolution	4MP(2688x1520) @25/30fps	4MP(2560x1440) @20fps	4MP(2560x1440) @25/30fps	4MP(2560x1440) @25/30fps
Sensor Size	1/3"	1/3"	1/3"	1/3"
Lens	2.8,3.6 Fixed	3.6 Fixed	Motorized (2.7–13.5 mm)	3.6/6 Fixed
Viewing Angle	93° /81°	81°	104°-27°	91°/55°
Night Vision Distance	IR 30 M	IR 30 M	IR 60 M	Warm light/ IR 40 M
Dynamic Range	WDR 120db	WDR 120db	WDR 120db	WDR 120db
Built in Mic	Yes	No	Yes	Yes
SD Card Support	No	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)
Power Supply	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
Video Compression	H.265/ H.264/ H.264B/ MJPEG	SMART H.264+/H.265+	SMART H.264/H.265	SMART H.264+/H.265+
Protection	IP67	IP67	IP67,IK10	IP67
Other Features	3D NR, HLC, BLC, ROI	3D NR, HLC, BLC, ROI, Smart detection (Tripwire Intrusion), AWB, AGC	3D NR, HLC, BLC, ROI, Smart detection (Tripwire Intrusion), AWB, AGC	3D NR, HLC, BLC, ROI, Smart detection (Tripwire Intrusion), digital watermarking, Motion detection, video tampering, scene changing

21

22

23

24

Dahua

DH-IPC-HFW3441TP-ZS

DH-IPC-HFW3441EP-AS-0360B

DH-IPC-HFW3449EP-AS-LED

DH-IPC-HFW5442EP-ZE-0832



Price (Rials)	۷۷,۷۵۰,۰۰۰	۵۶,۶۵۰,۰۰۰	۴۶,۸۹۰,۰۰۰	۱۵۶,۸۳۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Bullet
Max Resolution	4MP(2688×1520) @30fps	4MP(2688×1520) @30fps	4MP(2688×1520) @30fps	4MP(2688×1520) @20fps
Sensor Size	1/3"	1/3"	1/2.7"	1/1.8"
Lens	Motorized (2.7–13.5 mm)	3.6 Fixed	2.8/3.6 Fixed	Motorized (2.7–12 mm)
Viewing Angle	104°-27°	84°	103°/80°	114°-47°
Night Vision Distance	IR 60 M	IR 50 M	Warmlight/ IR 30 M	IR 50 M
Dynamic Range	WDR 120db	WDR 120db	WDR 120db	WDR 120db
Built in Mic	No	Yes	Yes	Yes
SD Card Support	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)
Power Supply	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
Video Compression	SMART H.264+/H.265+	H.265/H.264/H.264H/H.264B/MJPEG	H.265/H.264/H.264H/H.264B/MJPEG	H.265+/H.265/H.264+/H.264/MJPEG
Protection	IP67,IK10	IP67	IP67	IP67, IK10
Other Features	3D NR, HLC, BLC, ROI, Smart detection (Tripwire Intrusion), digital watermarking, Motion detection, video tampering, scene changing	3D NR, HLC, BLC, Intelligent detection: Intrusion, tripw	3D NR, HLC, BLC, Intelligent detection: Intrusion, tripw	3D NR, HLC, BLC, AWB, AGC, ePoE

	25	26	27	28
<b>Dahua</b>	DH-IPC-HFW2439SP-SA-LED-0360B-S2	DH-IPC-HDW1431T1P-0280B-S4	DH-IPC-HDBW1431EP-S4	DH-IPC-HDW2431TP-AS-S2
				
<b>Price (Rials)</b>	۳۵,۲۵۰,۰۰۰	۳۱,۹۳۰,۰۰۰	۳۰,۵۹۰,۰۰۰	۳۵,۷۰۰,۰۰۰
<b>Camera Type</b>	Bullet	Dome	Dome	Dome
<b>Max Resolution</b>	4MP(2688×1520) @20fps	4MP(2688×1520) @20fps	4MP(2688×1520) @20fps	4MP(2688×1520) @20fps
<b>Sensor Size</b>	1/3"	1/3"	1/3"	1/3"
<b>Lens</b>	3.6 Fixed	2.8 Fixed	2.8 Fixed	3.6 Fixed
<b>Viewing Angle</b>	81°	93°	104°	84°
<b>Night Vision Distance</b>	Warmlight/IR 30 M	IR 30 M	IR 30 M	IR 30 M
<b>Dynamic Range</b>	WDR 120db	WDR 120db	WDR 120db	WDR 120db
<b>Built in Mic</b>	Yes	No	No	Yes
<b>SD Card Support</b>	Yes (Up to 256G)	No	No	Yes (Up to 256G)
<b>Power Supply</b>	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
<b>Video Compression</b>	SMART H.264+/H.265+	H.265+/H.265/H.264+/H.264	H.265+/H.265/H.264+/H.264	SMART H.264+/H.265+
<b>Protection</b>	IP67	IP67	IP67, IK10	IP67
<b>Other Features</b>	3D NR, HLC, BLC, ROI, Intelligent detection: Intrusion, tripwire	3D NR, HLC, BLC, ROI, AWB, AGC	3D NR, HLC, BLC, ePoE, AWB, AGC	3D NR, HLC, BLC, ROI, Smart detection (Tripwire Intrusion), digital watermarking



29

30

31

32

Dahua

DH-IPC-HDBW2431EP-S-0360B-S2

DH-IPC-HDBW2431RP-ZS-S2

DH-IPC-HDW2431TMP-AS-S2

DH-IPC-HDW2439TP-AS-LED-S2




Price (Rials)	۳۵,۳۷۰,۰۰۰	۵۷,۷۴۰,۰۰۰	۳۶,۸۵۰,۰۰۰	۳۷,۶۵۰,۰۰۰
Camera Type	Dome	Dome	Dome	Dome
Max Resolution	4MP(2688×1520) @20fps	4MP(2688×1520) @20fps	4MP(2688×1520) @20fps	4MP(2688×1520) @20fps
Sensor Size	1/3"	1/3"	1/3"	1/3"
Lens	3.6 Fixed	Motorized (2.7–12 mm)	2.8 Fixed	2.8 Fixed
Viewing Angle	84°	114°-27°	102°	96°
Night Vision Distance	IR 30M	IR 30M	Starlight/ IR 30M	Warm light/IR 30 M
Dynamic Range	WDR 120db	WDR 120db	WDR 120db	WDR 120db
Built in Mic	Yes	Yes	Yes	Yes
SD Card Support	Yes (Up to 256G)	Yes (Up to 128G)	Yes (Up to 256G)	Yes (Up to 256G)
Power Supply	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
Video Compression	SMART H.264+/H.265+	SMART H.264+/H.265+	SMART H.264/H.265	SMART H.264+/H.265+
Protection	IP67, IK10	IP67, IK10	IP67	IP67
Other Features	3D NR, HLC, BLC, ROI	3D NR, HLC, BLC, ROI	3D NR, HLC, BLC, ROI, Smart detection (Tripwire Intrusion), AWB, AGC	3D NR, HLC, BLC, ROI, Smart detection (Tripwire Intrusion), AWB, AGC

	33	34	35	36
<b>Dahua</b>	DH-IPC-HDW3449TMP-AS-LED	DH-IPC-HDBW5442EP-ZE	DH-IPC-HFW2531SP-S-0360B-S2	DH-IPC-HDBW2531EP-S-S2
				
<b>Price (Rials)</b>	۲۲,۰۰۰,۰۰۰	۱۴۷,۴۱۰,۰۰۰	۳۶,۸۵۰,۰۰۰	۳۶,۸۵۰,۰۰۰
<b>Camera Type</b>	Dome	Dome	Bullet	Dome
<b>Max Resolution</b>	4MP(2688×1520) @30fps	4MP(2688×1520) @25/30fps	5MP(2592×1944) @20fps	5MP(2592×1944) @20fps
<b>Sensor Size</b>	1/2.7"	1/1.8"	1/2.7"	1/2.7"
<b>Lens</b>	2.8/3.6 Fixed	Motorized (2.7–12 mm)	2.8/3.6 Fixed	2.8/3.6 Fixed
<b>Viewing Angle</b>	103°/80°	114°-47°	103°/84°	103°/84°
<b>Night Vision Distance</b>	Warmlight/IR 30 M	IR 40 M	Starlight/IR 30 M	Starlight/IR 30 M
<b>Dynamic Range</b>	WDR 120db	WDR 140db	WDR 120db	WDR 120db
<b>Built in Mic</b>	Yes	No	No	No
<b>SD Card Support</b>	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)
<b>Power Supply</b>	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
<b>Video Compression</b>	H.265+/H.265/H.264+/H.264/MJPEG	H.265+/H.265/H.264+/H.264	H.265+/H.265/H.264+/H.264	H.265+/H.265/H.264+/H.264
<b>Protection</b>	IP67	IP67, IK10	IP67	IP67, IK10
<b>Other Features</b>	3D NR, HLC, BLC, AWB, AGC, ROI, Intelligent detection: Intrusion, tripwire	3D NR, HLC, BLC, ePoE, AWB, AGC	3D NR, HLC, BLC	3D NR, HLC, BLC

Dahua

DH-IPC-HFW2831S-S-0360B-S2



Price (Rials)	۵۵,۴۸۰,۰۰۰
Camera Type	Bullet
Max Resolution	8MP(3840×2160) @20fps
Sensor Size	1/2.7"
Lens	3.6 Fixed
Optical zoom	87°
Night Vision Distance	Starlight/IR 30 M
Dynamic Range	WDR 120db
Built in Mic	No
SD Card Support	Yes (Up to 256G)
Power Supply	12V DC or POE
Video Compression	H.265+/H.265/H.264+/H.264
Protection	IP67
Other Features	3D NR, HLC, BLC

38

39

Dahua

DH-SD5A232XA-HNR

DH-SD5A432XA-HNR




Price (Rials)	۳۹۹,۶۱۰,۰۰۰	Call: ۰۲۱۹۱۰۰۹۵۵۵
Camera Type	PTZ	PTZ
Max Resolution	2MP(1920×1080) @50/60fps	4MP(2560×1440) @25/30fps
Sensor Size	1/2.8"	1/2.8"
Lens	4.9–156 mm	4.9–156 mm
Optical zoom	32x	32x
Night Vision Distance	Starlight/IR 150 M	Starlight/IR 150 M
Dynamic Range	WDR 120db	WDR 120db
Built in Mic	No	Yes
SD Card Support	Yes (Up to 256G)	Yes (Up to 256G)
Power Supply	24V DC or POE	24V DC or POE
Video Compression	H.265+/H.265/H.264+/H.264/MJPEG	H.265+, H.264+, H.265, H.264, MJPEG
Protection	IP67/IK10	IP67/IK10
Other Features	Defog, Rol,2D & 3D DNR, HLC, BLC, Tripwire and intrusion. Support alarm triggering by target types (human and vehicle). Support filtering false alarms caused by animals, rustling leaves, bright lights, etc.	EIS, Defog, Rol,2D & 3D DNR, HLC, BLC, AWB, AGC, Deep Learning, Auto Track, Tripwire, intrusion, Object Abandoned/Missing, SMD Plus, Face Detection, human/motor vehicle/non-motor vehicle Classification, Animals/Leaves/Light False Alarm Filtering

	40	41	42	43
Dahua	DHI-NVR1104HS-S3/H	DH-NVR4104HS-4KS2/L	DHI-NVR4104HS-P-4KS2/L	DHI-NVR1108HS-S3/H



Price (Rials)	۲۵,۵۹۰,۰۰۰	۳۹,۷۵۰,۰۰۰	۶۶,۷۹۰,۰۰۰	۲۶,۱۴۰,۰۰۰
NVR Type	4 Ch	4 Ch	4 Ch	8 Ch
Input BandWidth	80Mbps	80Mbps	80Mbps	80Mbps
Output Bandwidth	60Mbps	48Mbps	60Mbps	60Mbps
Audio Input/Output	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out
Decoding Capacity	Upto 8Mp	Upto 8Mp	Upto 8Mp	Upto 8Mp
Video Output	1 Port HDMI : 4K 1 Port VGA : 1080P	1 Port HDMI : 4K 1 Port VGA : 1080P	1 Port HDMI : 4k 1 Port VGA	1 Port HDMI : 1080p 1 Port VGA
POE Ports	-	-	4 POE Ports	-
SATA Interface	1 HDD up to 8TB	1 HDD up to 10TB	1 HDD up to 10TB	1 HDD up to 8TB
Network Interface	1 RJ45 100M	1 RJ45 100M	2 RJ45 100M	1 RJ45 100M
Chassis	Standalone 1U	Compact 1U	Standalone 1U	Standalone 1U
Other Features	Smart H.265+/H.265/Smart H.264+/H.264 Alarm I/O 4/1	Smart H.265+/ Smart H.264+/ H.265/ H.264/	Smart H.265/H.265/Smart H.264/H.264/MJPEG	Smart H.265+/H.265/Smart H.264+/H.264 Alarm I/O 4/1

	44	45	46	47
Dahua	DH-NVR4108HS-4KS2	DHI-NVR4108HS-4KS2/L	DH-NVR2108-8P-4KS2	DHI-NVR2108HS-I



Price (Rials)	۴۱,۹۰۰,۰۰۰	۶۰,۶۰۰,۰۰۰	۶۳,۷۰۰,۰۰۰	۵۱,۲۶۰,۰۰۰
NVR Type	8 Ch	8 Ch	8 Ch	8 Ch
Input BandWidth	80Mbps	80Mbps	80Mbps	80Mbps
Output Bandwidth	48Mbps	60Mbps	80Mbps	60Mbps
Audio Input/Output	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out
Decoding Capacity	Upto 8Mp	Upto 8Mp	Upto 8Mp	Upto 8Mp
Video Output	1 Port HDMI : 4K 1 Port VGA : 1080P	1 Port HDMI : 4K 1 Port VGA : 1080P	1 Port HDMI : 4K 1 Port VGA	1 Port HDMI : 4k 1 Port VGA
POE Ports	-	-	8 POE Ports	-
SATA Interface	1 HDD up to 10TB	1 HDD up to 10TB	1 HDD up to 10TB	1 HDD up to 8TB
Network Interface	1 RJ45 100M	1 RJ45 100M	1 RJ45 1000M	1 RJ45 100M
Chassis	Compact 1U	Compact 1U	Smart 1U	Standalone 1U
Other Features	Smart H.265+/ Smart H.264+/ H.265/ H.264/	Smart H.265+/ Smart H.264+/ H.265/ H.264/ AI by Camera: Face detection, perimeter protection, IVS, people counting, heat map, and SMD · Supports remote configuration and management of IPC	H.264/H.265/Smart H.264+/Smart H.265+/MJPEG	H.264/H.265/Smart H.264+/Smart H.265+/MJPEG Alarm I/O 4/1

48

49

50

51

Dahua

DH-NVR2108HS-8P-4KS2

DHI-NVR5208-4KS2

DHI-NVR5208-8P-4KS2

DHI-NVR2216-I



Price (Rials)	۵۸,۵۴۰,۰۰۰	۱۰۹,۲۵۰,۰۰۰	۱۵۱,۲۶۰,۰۰۰	۶۸,۲۳۰,۰۰۰
NVR Type	8 Ch	8 Ch	8 Ch	16 Ch
Input BandWidth	80Mbps	320Mbps	320Mbps	80Mbps
Output Bandwidth	80Mbps			80Mbps
Audio Input/Output	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out
Decoding Capacity	Upto 8Mp	Upto 12Mp	Upto 12MP	Upto 8Mp
Video Output	1 Port HDMI : 4K 1 Port VGA	1 Port HDMI : 4k 1 Port VGA	1 Port HDMI : 4k 1 Port VGA	1 Port HDMI : 1080p 1 Port VGA
POE Ports	8 POE Ports	-	8 POE Ports	-
SATA Interface	1 HDD up to 10TB	2 HDD up to 10TB	2 HDD up to 10TB	2 HDD up to 6TB
Network Interface	1 RJ45 1000M	1 RJ45 1000M	1 RJ45 1000M	1 RJ45 1000M
Chassis	Compact 1U	Standalone 1U	Standalone 1U	1U Lite
Other Features	H.264/H.265/Smart H.264+/Smart H.265+/MJPEG	Smart H.265+/H.265/Smart H.264+/H.264/MJPEG	Smart H.265+/H.265/Smart H.264+/H.264/MJPEG	H.265/H.264

52

53

54

55

Dahua

DH-NVR2216-4KS2

DHI-NVR4116HS-4KS2/L

DHI-NVR4216-4KS2/L

DHI-NVR4216-16P-4KS2/L



Price (Rials)	۵۷,۶۱۰,۰۰۰	۶۲,۲۲۰,۰۰۰	۷۷,۶۷۰,۰۰۰	۱۴۶,۳۵۰,۰۰۰
NVR Type	16 Ch	16 Ch	16 Ch	16 Ch
Input BandWidth	80Mbps	80Mbps	160Mbps	160Mbps
Output Bandwidth	80Mbps	60Mbps	64Mbps	64Mbps
Audio Input/Output	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out
Decoding Capacity	Upto 8Mp	Upto 8Mp	Upto 8Mp	Upto 8MP
Video Output	1 Port HDMI : 1080p 1 Port VGA	1 Port HDMI : 1080p 1 Port VGA	1 Port HDMI : 4k 1 Port VGA	1 Port HDMI : 4k 1 Port VGA
POE Ports	-	-	-	16 POE Ports
SATA Interface	2 HDD up to 6TB	1 HDD up to 8TB	2 HDD up to 10TB	2 HDD up to 10TB
Network Interface	1 RJ45 1000M	1 RJ45 100M	1 RJ45 1000M	1 RJ45 1000M
Chassis	Standalone 1U	Compact 1U	Standalone 1U	Standalone 1U
Other Features	H.265/H.264	Smart H.265/H.264	Smart H.265/H.265/Smart H.264/H.264/MJPEG	Smart H.265/H.265/Smart H.264/H.264/MJPEG



	56	57	58	59
Dahua	DHI-NVR5216-4KS2	DHI-NVR4232-4KS2	DHI-NVR4232-4KS2/L	DHI-NVR5232-4KS2(V2.0)



Price (Rials)	۱۴۸,۲۰,۰۰۰	۷۴,۳۶۰,۰۰۰	۹۱,۱۱۰,۰۰۰	۱۳۰,۵۴۰,۰۰۰
NVR Type	16 Ch	32 Ch	32 Ch	32 Ch
Input BandWidth	320Mbps	200Mbps	160Mbps	320Mbps
Output Bandwidth	320Mbps	96Mbps	48Mbps	320Mbps
Audio Input/Output	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out
Decoding Capacity	Upto24MP	Upto 8MP	Upto 8MP	Upto 12MP
Video Output	1 Port HDMI : 4k 1 Port VGA	1 Port HDMI : 4k 1 Port VGA	1 Port HDMI : 4k 1 Port VGA	1 Port HDMI : 4k 1 Port VGA : 1080p
POE Ports	-	-	-	-
SATA Interface	2 HDD up to 10TB	2 HDD up to 6TB	2 HDD up to 10TB	2 HDD up to 10TB
Network Interface	1 RJ45 1000M	1 RJ45 1000M	1 RJ45 1000M	1 RJ45 1000M
Chassis	Standalone 1U	Standalone 1U	Standalone 1U	Standalone 1U
Other Features	Smart H.265/H.265/Smart H.264/H.264/MJPEG	Smart H.265/H.265/Smart H.264/H.264/MJPEG	Smart H.265/H.265/Smart H.264/H.264/MJPEG	Smart H.265/H.265/Smart H.264/H.264/MJPEG

	60	61	62	63
Dahua	DHI-NVR4432-4KS2/L	DHI-NVR5432-4KS2(V2.0)	DHI-NVR608-32-4KS2	DH-NVR608-64-4KS2



Price (Rials)	۱۵۴,۶۸۰,۰۰۰	۱۹۰,۰۰۰,۰۰۰	۲۶۹,۹۳۰,۰۰۰	۵۲۵,۸۹۰,۰۰۰
NVR Type	32 Ch	32 Ch	32 Ch	64 Ch
Input BandWidth	200Mbps	320Mbps	384Mbps	384Mbps
Output Bandwidth	96Mbps	320Mbps	384Mbps	384Mbps
Audio Input/Output	1Ch. In/ 2Ch. Out	1Ch. In/ 2Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out
Decoding Capacity	Upto 8MP	Upto 12MP	Upto 12MP	Upto 12MP
Video Output	1 Port HDMI : 4k 1 Port VGA : 1080p	2 Port HDMI : 4k, 1080p 2 Port VGA : 1080p	2 Port HDMI : 4k 2 Port VGA : 1080p	2 Port HDMI : 4k 2 Port VGA : 1080p
POE Ports	-	-	-	-
SATA Interface	4 HDD up to 10TB	4 HDD up to 10TB	8 HDD up to 10TB	8 HDD up to 64TB
Network Interface	2 RJ45 1000M	2 RJ45 1000M	2 RJ45 1000M	2 RJ45 1000M
Chassis	1.5U	1.5U	2U	2U
Other Features	Smart H.265/H.265/Smart H.264/H.264/MJPEG	Smart H.265/H.265/Smart H.264/H.264/MJPEG	Smart H.265/H.265/Smart H.264/H.264/MJPEG	H.265/H.264/MJPEG, Support Smart Tracking and Intelligent Video

64

Dahua

DHI-NVR608-128-4KS2



Price (Rials)	۶۰۴,۵۵۰,۰۰۰
NVR Type	128 Ch
Input BandWidth	384Mbps
Output Bandwidth	384Mbps
Audio Input/Output	1Ch. In/ 1Ch. Out
Decoding Capacity	Upto 12MP
Video Output	2 Port HDMI : 4k 2 Port VGA : 1080p
POE Ports	-
SATA Interface	8 HDD up to10TB
Network Interface	2 RJ45 1000M
Chassis	2U
Other Features	H.265/H.264/MJPEG, Support Smart Tracking and Intelligent Video