



لیست قیمت رسمی تابستان ۱۴۰۱

تارتن دژ آریانا

فروش محصولات داهوا

تمامی کالاها دارای ۲۴ ماه گارانتی پارس ارتباط

۰۲۱-۹۱۰۰۹۵۵۵

۰۹۹۳-۳۲۴۰۸۹۹



	1	2	3	4
Dahua	DH-IPC-HFW1230S1P-0360B-S5	DH-IPC-HFW1239S1-LED-0360-S5	DH-IPC-HFW2230SP-S-S2	DH-IPC-HFW2231SP-S2-0360B



Price (Rials)	۲۰,۷۱۰,۰۰۰	۲۱,۴۸۰,۰۰۰	۲۶,۸۸۰,۰۰۰	۳۰,۰۸۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Bullet
Max Resolution	2MP(1920×1080) @25/30fps	2MP(1920×1080) @25/30fps	2MP(1920×1080) @25/30fps	2MP(1920×1080) @25/30fps
Sensor Size	1/2.8"	1/2.8"	1/2.7"	1/2.8"
Lens	2.8/3.6 Fixed	2.8/3.6 Fixed	3.6 Fixed	3.6 Fixed
Viewing Angle	102°/84°	106°/88°	91°	87°
Night Vision Distance	IR 30 M	Warm Light 10/15M	IR 30 M	Starlight/ IR 30M
Dynamic Range	DWDR	DWDR	DWDR	WDR 120db
Built in Mic	No	No	No	No
SD Card Support	No	No	Yes (Up to 256G)	Yes (Up to 256G)
Power Supply	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
Video Compression	SMART H.264+/H.265+	SMART H.264+/H.265+	SMART H.264+/H.265+	SMART H.264/H.265
Protection	IP67	IP67	IP67	IP67
Other Features	3D NR, HLC, BLC, digital watermarking, ROI	3D NR, HLC, BLC, digital watermarking, ROI, Motion detection, video tampering,	3D NR, HLC, BLC, digital watermarking, ROI, Motion detection, video tampering,	3D NR, HLC, BLC, digital watermarking, ROI

	5	6	7	8
Dahua	DH-IPC-HFW1230S-S5	DH-IPC-HFW1230SP-0360B-S5	DH-IPC-HFW2239SP-SA-LED-S2	DH-IPC-HDW1239T1P-LED-0280B-S5-QH2



Price (Rials)	۲۱,۲۹۰,۰۰۰	۲۱,۸۶۰,۰۰۰	۳۱,۷۹۰,۰۰۰	۱۹,۰۱۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Dome
Max Resolution	2MP(1920×1080) @25/30fps	2MP(1920×1080) @25/30fps	2MP(1920×1080) @20fps	2MP(1920×1080) @25/30fps
Sensor Size	1/2.7"	1/2.7"	1/2.8"	1/2.8"
Lens	3.6 Fixed	3.6 Fixed	2.8 Fixed	2.8/3.6 Fixed
Viewing Angle	84°	84°	107°	106°/88°
Night Vision Distance	IR 30M	IR 30M	Warmlight/ IR 30 M	Warmlight/IR 30M
Dynamic Range	DWDR	DWDR	WDR 120db	DWDR
Built in Mic	No	No	Yes	No
SD Card Support	No	No	Yes (Up to 256G)	No
Power Supply	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
Video Compression	H.265+/H.264+/H.265/H.264H/MJPEG	H.265+/H.264+/H.265/H.264H/MJPEG	H.265+/H.264+/H.265/H.264H/MJPEG	H.265+/H.264+/H.265/H.264H/MJPEG
Protection	IP67	IP67	IP67	IP67
Other Features	3D NR, BLC, HLC, ROI	3D NR, BLC, HLC, ROI	3D NR, HLC, BLC, ROI, Intelligent detection: Intrusion, tripwire	3D NR, BLC, HLC, ROI

	9	10	11	12
Dahua	DH-IPC-HDW1239T1-LED-0280-S5	DH-IPC-HDW2239TP-AS-LED-S2	DH-IPC-HDW1230T1P-0280B-S5	DH-IPC-HDW2230T-AS-S2
				
Price (Rials)	۲۱,۴۸۰,۰۰۰	۳۱,۷۹۰,۰۰۰	۲۰,۷۱۰,۰۰۰	۲۹,۳۶۰,۰۰۰
Camera Type	Dome	Dome	Dome	Dome
Max Resolution	2MP(1920×1080) @25/30fps	2MP(1920×1080) @20fps	2MP(1920×1080) @25/30fps	2MP(1920×1080) @25/30fps
Sensor Size	1/2.7"	1/2.8"	1/2.7"	1/2.7"
Lens	2.8/3.6 Fixed	2.8/3.6 Fixed	2.8 Fixed	2.8/3.6 Fixed
Viewing Angle	110°/91°	107° /91°	102°	110°/91°
Night Vision Distance	Warmlight/ IR 15M	Warmlight/ IR 30 M	IR 30M	IR 30 M
Dynamic Range	DWDR	WDR 120db	DWDR	DWDR
Built in Mic	No	Yes	No	Yes
SD Card Support	No	Yes (Up to 256G)	No	Yes (Up to 256G)
Power Supply	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
Video Compression	H.265+/H.264+/H.265/H.264H/MJPEG	H.265+/H.264+/H.265/H.264H/MJPEG	H.265+/H.264+/H.265/H.264H/MJPEG	SMART H.264+/H.265+
Protection	IP67	IP67	IP67	IP67
Other Features	3D NR, BLC, HLC	3D NR, HLC, BLC, ROI, Intelligent detection: Intrusion, tripwire	3D NR, BLC, HLC, AWB, AGC, ROI, EIS	3D NR, HLC, BLC, digital watermarking, ROI, Motion detection, video tampering,

13

14

15

16

Dahua

DH-IPC-HDW2231TM-AS-S2

DH-IPC-HDW2231TP-AS-0280B-S2

DH-IPC-HDBW2231E-S-S2

DH-IPC-HFW1431SP-0360B-S4




Price (Rials)	۳۲,۶۰۰,۰۰۰	۳۲,۰۵۰,۰۰۰	۲۸,۵۵۰,۰۰۰	۳۰,۰۰۰,۰۰۰
Camera Type	Dome	Dome	Dome	Bullet
Max Resolution	2MP(1920×1080) @25/30fps	2MP(1920×1080) @25/30fps	2MP(1920×1080) @25/30fps	4MP(2560×1440) @25/30fps
Sensor Size	1/2.8"	1/2.8"	1/2.8"	1/3"
Lens	2.8/3.6 Fixed	2.8/3.6 Fixed	2.8/3.6 Fixed	2.8/3.6 Fixed
Viewing Angle	107°/88°	107°/88°	107°/88°	93°/81°
Night Vision Distance	IR 30M	Starlight/ IR 30M	IR 30M	IR 30 M
Dynamic Range	WDR 120db	WDR 120db	WDR 120db	WDR 120db
Built in Mic	Yes	Yes	Yes	No
SD Card Support	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)	No
Power Supply	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
Video Compression	SMART H.264+/H.265+	SMART H.264+/H.265+	H.265;/ H.264/ H.264B/ MJPEG	SMART H.264/H.265
Protection	IP67	IP67	IP67, IK10	IP67
Other Features	3D NR, HLC, BLC, digital watermarking, ROI	3D NR, HLC, BLC, digital watermarking, ROI	3D NR, HLC, BLC, digital watermarking, ROI	3D NR, HLC, BLC, ROI, digital watermarking, Motion detection, video tampering

	17	18	19	20
Dahua	DH-IPC-HFW1431S1P-S4	DH-IPC-HFW2431SP-S-0360B-S2	DH-IPC-HFW2431TP-ZS-27135-S2	DH-IPC-HFW2439MP-AS-LED-B-S2



Price (Rials)	۲۴,۴۳۰,۰۰۰	۳۲,۸۵۰,۰۰۰	۵۹,۰۵۰,۰۰۰	۳۷,۲۹۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Bullet
Max Resolution	4MP(2688x1520) @25/30fps	4MP(2560x1440) @20fps	4MP(2560x1440) @25/30fps	4MP(2560x1440) @25/30fps
Sensor Size	1/3"	1/3"	1/3"	1/3"
Lens	2.8,3.6 Fixed	3.6 Fixed	Motorized (2.7–13.5 mm)	3.6/6 Fixed
Viewing Angle	93° /81°	81°	104°-27°	91°/55°
Night Vision Distance	IR 30 M	IR 30 M	IR 60 M	Warm light/ IR 40 M
Dynamic Range	WDR 120db	WDR 120db	WDR 120db	WDR 120db
Built in Mic	Yes	No	Yes	Yes
SD Card Support	No	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)
Power Supply	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
Video Compression	H.265/ H.264/ H.264B/ MJPEG	SMART H.264+/H.265+	SMART H.264/H.265	SMART H.264+/H.265+
Protection	IP67	IP67	IP67,IK10	IP67
Other Features	3D NR, HLC, BLC, ROI	3D NR, HLC, BLC, ROI, Smart detection (Tripwire Intrusion), AWB, AGC	3D NR, HLC, BLC, ROI, Smart detection (Tripwire Intrusion), AWB, AGC	3D NR, HLC, BLC, ROI, Smart detection (Tripwire Intrusion), digital watermarking, Motion detection, video tampering, scene changing

21

22

23

24

Dahua

DH-IPC-HFW3441TP-ZS

DH-IPC-HFW3441EP-AS-0360B

DH-IPC-HFW3449EP-AS-LED

DH-IPC-HFW5442EP-ZE-0832



Price (Rials)	۷۷,۷۵۰,۰۰۰	۵۶,۶۵۰,۰۰۰	۴۶,۸۹۰,۰۰۰	۱۵۶,۸۳۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Bullet
Max Resolution	4MP(2688×1520) @30fps	4MP(2688×1520) @30fps	4MP(2688×1520) @30fps	4MP(2688×1520) @20fps
Sensor Size	1/3"	1/3"	1/2.7"	1/1.8"
Lens	Motorized (2.7–13.5 mm)	2.8/3.6 Fixed	2.8/3.6 Fixed	Motorized (2.7–12 mm)
Viewing Angle	104°-27°	103°/84°	103°/80°	114°-47°
Night Vision Distance	IR 60 M	IR 50 M	Warmlight/ IR 30 M	IR 50 M
Dynamic Range	WDR 120db	WDR 120db	WDR 120db	WDR 120db
Built in Mic	No	Yes	Yes	Yes
SD Card Support	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)
Power Supply	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
Video Compression	SMART H.264+/H.265+	H.265/H.264/H.264H/H.264B/MJPEG	H.265/H.264/H.264H/H.264B/MJPEG	H.265+/H.265/H.264+/H.264/MJPEG
Protection	IP67,IK10	IP67	IP67	IP67, IK10
Other Features	3D NR, HLC, BLC, ROI, Smart detection (Tripwire Intrusion), digital watermarking, Motion detection, video tampering, scene changing	3D NR, HLC, BLC, Intelligent detection: Intrusion, tripw	3D NR, HLC, BLC, Intelligent detection: Intrusion, tripw	3D NR, HLC, BLC, AWB, AGC, ePoE

	25	26	27	28
Dahua	DH-IPC-HFW2439SP-SA-LED-0360B-S2	DH-IPC-HDW1431T1P-0280B-S4	DH-IPC-HDBW1431EP-S4	DH-IPC-HDW2431TP-AS-S2
				
Price (Rials)	۳۵,۲۵۰,۰۰۰	۲۸,۱۷۰,۰۰۰	۳۰,۵۹۰,۰۰۰	۳۵,۷۰۰,۰۰۰
Camera Type	Bullet	Dome	Dome	Dome
Max Resolution	4MP(2688×1520) @20fps	4MP(2688×1520) @20fps	4MP(2688×1520) @20fps	4MP(2688×1520) @20fps
Sensor Size	1/3"	1/3"	1/3"	1/3"
Lens	3.6 Fixed	2.8/3.6 Fixed	2.8 Fixed	3.6 Fixed
Viewing Angle	81°	93°/81°	104°	84°
Night Vision Distance	Warmlight/IR 30 M	IR 30 M	IR 30 M	IR 30 M
Dynamic Range	WDR 120db	WDR 120db	WDR 120db	WDR 120db
Built in Mic	Yes	No	No	Yes
SD Card Support	Yes (Up to 256G)	No	No	Yes (Up to 256G)
Power Supply	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
Video Compression	SMART H.264+/H.265+	H.265+/H.265/H.264+/H.264	H.265+/H.265/H.264+/H.264	SMART H.264+/H.265+
Protection	IP67	IP67	IP67, IK10	IP67
Other Features	3D NR, HLC, BLC, ROI, Intelligent detection: Intrusion, tripwire	3D NR, HLC, BLC, ROI, AWB, AGC	3D NR, HLC, BLC, ePoE, AWB, AGC	3D NR, HLC, BLC, ROI, Smart detection (Tripwire Intrusion), digital watermarking

29

30

31

32

Dahua

DH-IPC-HDBW2431EP-S-0360B-S2

DH-IPC-HDBW2431RP-ZS-S2

DH-IPC-HDW2431TMP-AS-S2

DH-IPC-HDW2439TP-AS-LED-S2




Price (Rials)	۳۱,۲۱۰,۰۰۰	۵۷,۷۴۰,۰۰۰	۳۶,۸۵۰,۰۰۰	۳۷,۶۵۰,۰۰۰
Camera Type	Dome	Dome	Dome	Dome
Max Resolution	4MP(2688×1520) @20fps	4MP(2688×1520) @20fps	4MP(2688×1520) @20fps	4MP(2688×1520) @20fps
Sensor Size	1/3"	1/3"	1/3"	1/3"
Lens	2.8/3.6 Fixed	Motorized (2.7–12 mm)	2.8 Fixed	2.8 Fixed
Viewing Angle	102° /84°	114°-27°	102°	96°
Night Vision Distance	IR 30M	IR 30M	Starlight/ IR 30M	Warm light/IR 30 M
Dynamic Range	WDR 120db	WDR 120db	WDR 120db	WDR 120db
Built in Mic	Yes	Yes	Yes	Yes
SD Card Support	Yes (Up to 256G)	Yes (Up to 128G)	Yes (Up to 256G)	Yes (Up to 256G)
Power Supply	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
Video Compression	SMART H.264+/H.265+	SMART H.264+/H.265+	SMART H.264/H.265	SMART H.264+/H.265+
Protection	IP67, IK10	IP67, IK10	IP67	IP67
Other Features	3D NR, HLC, BLC, ROI	3D NR, HLC, BLC, ROI	3D NR, HLC, BLC, ROI, Smart detection (Tripwire Intrusion), AWB, AGC	3D NR, HLC, BLC, ROI, Smart detection (Tripwire Intrusion), AWB, AGC

	33	34	35	36
Dahua	DH-IPC-HDW3449TMP-AS-LED	DH-IPC-HDBW5442EP-ZE	DH-IPC-HFW2531SP-S-0360B-S2	DH-IPC-HDBW2531EP-S-S2
				
Price (Rials)	۴۴,۰۰۰,۰۰۰	۱۴۷,۴۱۰,۰۰۰	۳۶,۸۵۰,۰۰۰	۳۶,۸۵۰,۰۰۰
Camera Type	Dome	Dome	Bullet	Dome
Max Resolution	4MP(2688×1520) @30fps	4MP(2688×1520) @25/30fps	5MP(2592×1944) @20fps	5MP(2592×1944) @20fps
Sensor Size	1/2.7"	1/1.8"	1/2.7"	1/2.7"
Lens	2.8/3.6 Fixed	Motorized (2.7–12 mm)	2.8/3.6 Fixed	2.8/3.6 Fixed
Viewing Angle	103°/80°	114°-47°	103°/84°	103°/84°
Night Vision Distance	Warmlight/IR 30 M	IR 40 M	Starlight/IR 30 M	Starlight/IR 30 M
Dynamic Range	WDR 120db	WDR 140db	WDR 120db	WDR 120db
Built in Mic	Yes	No	No	No
SD Card Support	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)
Power Supply	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
Video Compression	H.265+/H.265/H.264+/H.264/MJPEG	H.265+/H.265/H.264+/H.264	H.265+/H.265/H.264+/H.264	H.265+/H.265/H.264+/H.264
Protection	IP67	IP67, IK10	IP67	IP67, IK10
Other Features	3D NR, HLC, BLC, AWB, AGC, ROI, Intelligent detection: Intrusion, tripwire	3D NR, HLC, BLC, ePoE, AWB, AGC	3D NR, HLC, BLC	3D NR, HLC, BLC

Dahua

DH-IPC-HFW2831S-S-0360B-S2



Price (Rials)	۵۵,۴۸۰,۰۰۰
Camera Type	Bullet
Max Resolution	8MP(3840×2160) @20fps
Sensor Size	1/2.7"
Lens	2.8/3.6 Fixed
Optical zoom	105°/87°
Night Vision Distance	Starlight/IR 30 M
Dynamic Range	WDR 120db
Built in Mic	No
SD Card Support	Yes (Up to 256G)
Power Supply	12V DC or POE
Video Compression	H.265+/H.265/H.264+/H.264
Protection	IP67
Other Features	3D NR, HLC, BLC

38

39

Dahua

DH-SD5A232XA-HNR

DH-SD5A432XA-HNR




Price (Rials)	۳۵۲,۶۰۰,۰۰۰	۳۵۹,۴۳۰,۰۰۰
Camera Type	PTZ	PTZ
Max Resolution	2MP(1920×1080) @50/60fps	4MP(2560×1440) @25/30fps
Sensor Size	1/2.8"	1/2.8"
Lens	4.9–156 mm	4.9–156 mm
Optical zoom	32x	32x
Night Vision Distance	Starlight/IR 150 M	Starlight/IR 150 M
Dynamic Range	WDR 120db	WDR 120db
Built in Mic	No	Yes
SD Card Support	Yes (Up to 256G)	Yes (Up to 256G)
Power Supply	24V DC or POE	24V DC or POE
Video Compression	H.265+/H.265/H.264+/H.264/MJPEG	H.265+, H.264+, H.265, H.264, MJPEG
Protection	IP67/IK10	IP67/IK10
Other Features	Defog, Rol,2D & 3D DNR, HLC, BLC, Tripwire and intrusion. Support alarm triggering by target types (human and vehicle). Support filtering false alarms caused by animals, rustling leaves, bright lights, etc.	EIS, Defog, Rol,2D & 3D DNR, HLC, BLC, AWB, AGC, Deep Learning, Auto Track, Tripwire, intrusion, Object Abandoned/Missing, SMD Plus, Face Detection, human/motor vehicle/non-motor vehicle Classification, Animals/Leaves/Light False Alarm Filtering

	40	41	42	43
Dahua	DHI-NVR1104HS-S3/H	DH-NVR4104HS-4KS2/L	DHI-NVR4104HS-P-4KS2/L	DHI-NVR1108HS-S3/H



Price (Rials)	۲۲,۵۸۰,۰۰۰	۳۹,۷۵۰,۰۰۰	۵۸,۹۴۰,۰۰۰	۲۶,۱۴۰,۰۰۰
NVR Type	4 Ch	4 Ch	4 Ch	8 Ch
Input BandWidth	80Mbps	80Mbps	80Mbps	80Mbps
Output Bandwidth	60Mbps	48Mbps	60Mbps	60Mbps
Audio Input/Output	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out
Decoding Capacity	Upto 8Mp	Upto 8Mp	Upto 8Mp	Upto 8Mp
Video Output	1 Port HDMI : 4K 1 Port VGA : 1080P	1 Port HDMI : 4K 1 Port VGA : 1080P	1 Port HDMI : 4k 1 Port VGA	1 Port HDMI : 1080p 1 Port VGA
POE Ports	-	-	4 POE Ports	-
SATA Interface	1 HDD up to 8TB	1 HDD up to 10TB	1 HDD up to 10TB	1 HDD up to 8TB
Network Interface	1 RJ45 100M	1 RJ45 100M	2 RJ45 100M	1 RJ45 100M
Chassis	Standalone 1U	Compact 1U	Standalone 1U	Standalone 1U
Other Features	Smart H.265+/H.265/Smart H.264+/H.264 Alarm I/O 4/1	Smart H.265+/ Smart H.264+/ H.265/ H.264/	Smart H.265/H.265/Smart H.264/H.264/MJPEG	Smart H.265+/H.265/Smart H.264+/H.264 Alarm I/O 4/1

	44	45	46	47
Dahua	DH-NVR4108HS-4KS2	DHI-NVR4108HS-4KS2/L	DH-NVR2108-8P-4KS2	DHI-NVR2108HS-I



Price (Rials)	۴۱,۹۰۰,۰۰۰	۶۰,۶۰۰,۰۰۰	۵۶,۲۰۰,۰۰۰	۵۱,۲۶۰,۰۰۰
NVR Type	8 Ch	8 Ch	8 Ch	8 Ch
Input BandWidth	80Mbps	80Mbps	80Mbps	80Mbps
Output Bandwidth	48Mbps	60Mbps	80Mbps	60Mbps
Audio Input/Output	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out
Decoding Capacity	Upto 8Mp	Upto 8Mp	Upto 8Mp	Upto 8Mp
Video Output	1 Port HDMI : 4K 1 Port VGA : 1080P	1 Port HDMI : 4K 1 Port VGA : 1080P	1 Port HDMI : 4K 1 Port VGA	1 Port HDMI : 4k 1 Port VGA
POE Ports	-	-	8 POE Ports	-
SATA Interface	1 HDD up to 10TB	1 HDD up to 10TB	1 HDD up to 10TB	1 HDD up to 8TB
Network Interface	1 RJ45 100M	1 RJ45 100M	1 RJ45 1000M	1 RJ45 100M
Chassis	Compact 1U	Compact 1U	Smart 1U	Standalone 1U
Other Features	Smart H.265+/ Smart H.264+/ H.265/ H.264/	Smart H.265+/ Smart H.264+/ H.265/ H.264/ AI by Camera: Face detection, perimeter protection, IVS, people counting, heat map, and SMD · Supports remote configuration and management of IPC	H.264/H.265/Smart H.264+/Smart H.265+/MJPEG	H.264/H.265/Smart H.264+/Smart H.265+/MJPEG Alarm I/O 4/1

48

49

50

51

Dahua

DH-NVR2108HS-8P-4KS2

DHI-NVR5208-4KS2

DHI-NVR5208-8P-4KS2

DHI-NVR2216-I



Price (Rials)	۵۸,۵۴۰,۰۰۰	۱۰۹,۲۵۰,۰۰۰	۱۵۱,۲۶۰,۰۰۰	۶۸,۲۳۰,۰۰۰
NVR Type	8 Ch	8 Ch	8 Ch	16 Ch
Input BandWidth	80Mbps	320Mbps	320Mbps	80Mbps
Output Bandwidth	80Mbps			80Mbps
Audio Input/Output	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out
Decoding Capacity	Upto 8Mp	Upto 12Mp	Upto 12MP	Upto 8Mp
Video Output	1 Port HDMI : 4K 1 Port VGA	1 Port HDMI : 4k 1 Port VGA	1 Port HDMI : 4k 1 Port VGA	1 Port HDMI : 1080p 1 Port VGA
POE Ports	8 POE Ports	-	8 POE Ports	-
SATA Interface	1 HDD up to 10TB	2 HDD up to 10TB	2 HDD up to 10TB	2 HDD up to 6TB
Network Interface	1 RJ45 1000M	1 RJ45 1000M	1 RJ45 1000M	1 RJ45 1000M
Chassis	Compact 1U	Standalone 1U	Standalone 1U	1U Lite
Other Features	H.264/H.265/Smart H.264+/Smart H.265+/MJPEG	Smart H.265+/H.265/Smart H.264+/H.264/MJPEG	Smart H.265+/H.265/Smart H.264+/H.264/MJPEG	H.265/H.264

52

53

54

55

Dahua

DH-NVR2216-4KS2

DHI-NVR4116HS-4KS2/L

DHI-NVR4216-4KS2/L

DHI-NVR4216-16P-4KS2/L



Price (Rials)	۵۰,۸۳۰,۰۰۰	۵۵,۰۰۰,۰۰۰	۷۷,۶۷۰,۰۰۰	۱۲۹,۱۴۰,۰۰۰
NVR Type	16 Ch	16 Ch	16 Ch	16 Ch
Input BandWidth	80Mbps	80Mbps	160Mbps	160Mbps
Output Bandwidth	80Mbps	60Mbps	64Mbps	64Mbps
Audio Input/Output	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out
Decoding Capacity	Upto 8Mp	Upto 8Mp	Upto 8Mp	Upto 8MP
Video Output	1 Port HDMI : 1080p 1 Port VGA	1 Port HDMI : 1080p 1 Port VGA	1 Port HDMI : 4k 1 Port VGA	1 Port HDMI : 4k 1 Port VGA
POE Ports	-	-	-	16 POE Ports
SATA Interface	2 HDD up to 6TB	1 HDD up to 8TB	2 HDD up to 10TB	2 HDD up to 10TB
Network Interface	1 RJ45 1000M	1 RJ45 100M	1 RJ45 1000M	1 RJ45 1000M
Chassis	Standalone 1U	Compact 1U	Standalone 1U	Standalone 1U
Other Features	H.265/H.264	Smart H.265/H.264	Smart H.265/H.265/Smart H.264/H.264/MJPEG	Smart H.265/H.265/Smart H.264/H.264/MJPEG

	56	57	58	59
Dahua	DHI-NVR5216-4KS2	DHI-NVR4232-4KS2	DHI-NVR4232-4KS2/L	DHI-NVR5232-4KS2(V2.0)



Price (Rials)	۱۴۸,۲۰,۰۰۰	۷۴,۳۶۰,۰۰۰	۹۱,۱۱۰,۰۰۰	۱۳۰,۵۴۰,۰۰۰
NVR Type	16 Ch	32 Ch	32 Ch	32 Ch
Input BandWidth	320Mbps	200Mbps	160Mbps	320Mbps
Output Bandwidth	320Mbps	96Mbps	48Mbps	320Mbps
Audio Input/Output	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out
Decoding Capacity	Upto24MP	Upto 8MP	Upto 8MP	Upto 12MP
Video Output	1 Port HDMI : 4k 1 Port VGA	1 Port HDMI : 4k 1 Port VGA	1 Port HDMI : 4k 1 Port VGA	1 Port HDMI : 4k 1 Port VGA : 1080p
POE Ports	-	-	-	-
SATA Interface	2 HDD up to 10TB	2 HDD up to 6TB	2 HDD up to 10TB	2 HDD up to 10TB
Network Interface	1 RJ45 1000M	1 RJ45 1000M	1 RJ45 1000M	1 RJ45 1000M
Chassis	Standalone 1U	Standalone 1U	Standalone 1U	Standalone 1U
Other Features	Smart H.265/H.265/Smart H.264/H.264/MJPEG	Smart H.265/H.265/Smart H.264/H.264/MJPEG	Smart H.265/H.265/Smart H.264/H.264/MJPEG	Smart H.265/H.265/Smart H.264/H.264/MJPEG

	60	61	62	63
Dahua	DHI-NVR4432-4KS2/L	DH-NVR5432-4KS2	DHI-NVR5432-4KS2(V2.0)	DHI-NVR608-32-4KS2



Price (Rials)	۱۵۴,۶۸۰,۰۰۰	۱۸۰,۰۷۰,۰۰۰	۱۹۰,۰۰۰,۰۰۰	۲۶۹,۹۳۰,۰۰۰
NVR Type	32 Ch	32 Ch	32 Ch	32 Ch
Input BandWidth	200Mbps	320Mbps	320Mbps	384Mbps
Output Bandwidth	96Mbps		320Mbps	384Mbps
Audio Input/Output	1Ch. In/ 2Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 2Ch. Out	1Ch. In/ 1Ch. Out
Decoding Capacity	Upto 8MP	Upto 12MP	Upto 12MP	Upto 12MP
Video Output	1 Port HDMI : 4k 1 Port VGA : 1080p	2 Port HDMI : 4k 2 Port VGA : 1080p	2 Port HDMI : 4k, 1080p 2 Port VGA : 1080p	2 Port HDMI : 4k 2 Port VGA : 1080p
POE Ports	-	16 POE Ports	-	-
SATA Interface	4 HDD up to 10TB	4 HDD up to 10TB	4 HDD up to 10TB	8 HDD up to 10TB
Network Interface	2 RJ45 1000M	1 RJ45 1000M	2 RJ45 1000M	2 RJ45 1000M
Chassis	1.5U	1.5U	1.5U	2U
Other Features	Smart H.265/H.265/Smart H.264/H.264/MJPEG	Smart H.265/H.265/Smart H.264/H.264/MJPEG	Smart H.265/H.265/Smart H.264/H.264/MJPEG	Smart H.265/H.265/Smart H.264/H.264/MJPEG

64

65

Dahua

DH-NVR608-64-4KS2

DHI-NVR608-128-4KS2



Price (Rials)	۵۲۵,۸۹۰,۰۰۰	۶۰۴,۵۵۰,۰۰۰
NVR Type	64 Ch	128 Ch
Input BandWidth	384Mbps	384Mbps
Output Bandwidth	384Mbps	384Mbps
Audio Input/Output	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out
Decoding Capacity	Upto 12MP	Upto 12MP
Video Output	2 Port HDMI : 4k 2 Port VGA : 1080p	2 Port HDMI : 4k 2 Port VGA : 1080p
POE Ports	-	-
SATA Interface	8 HDD up to64TB	8 HDD up to10TB
Network Interface	2 RJ45 1000M	2 RJ45 1000M
Chassis	2U	2U
Other Features	H.265/H.264/MJPEG, Support Smart Tracking and Intelligent Video	H.265/H.264/MJPEG, Support Smart Tracking and Intelligent Video