



لیست قیمت رسمی اسفند ۱۴۰۱

تارتن دژ آریانا

فروش محصولات داهوا

تمامی کالاها دارای ۲۴ ماه گارانتی پارس ارتباط

۰۲۱-۸۸۵۰۰۰۲۰

۰۹۹۳-۳۲۴۰۸۹۹



	1	2	3	4
Dahua	DH-IPC-HFW1230S1P-0360B-S5	DH-IPC-HFW1230S-S5	DH-IPC-HFW1239S1-LED-0360-S5	DH-IPC-HFW2230SP-S-S2



Price (Rials)	۲۰,۷۱۰,۰۰۰	۳۱,۹۲۰,۰۰۰	۳۰,۹۸۰,۰۰۰	۳۷,۰۳۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Bullet
Max Resolution	2MP(1920×1080) @25/30fps	2MP(1920×1080) @25/30fps	2MP(1920×1080) @25/30fps	2MP(1920×1080) @25/30fps
Sensor Size	1/2.8"	1/2.7"	1/2.8"	1/2.7"
Lens	3.6 Fixed	3.6 Fixed	3.6 Fixed	3.6 Fixed
Viewing Angle	84°	84°	88°	91°
Night Vision Distance	IR 30 M	IR 30M	Warm Light 10/15M	IR 30 M
Dynamic Range	DWDR	DWDR	DWDR	DWDR
Built in Mic	No	No	No	No
SD Card Support	No	No	No	Yes (Up to 256G)
Power Supply	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
Video Compression	SMART H.264+/H.265+	H.265+/H.264+/H.265/H.264H/MJPEG	SMART H.264+/H.265+	SMART H.264+/H.265+
Protection	IP67	IP67	IP67	IP67
Other Features	3D NR, HLC, BLC, digital watermarking, ROI	3D NR, BLC, HLC, ROI	3D NR, HLC, BLC, digital watermarking, ROI, Motion detection, video tampering,	3D NR, HLC, BLC, digital watermarking, ROI, Motion detection, video tampering,

	5	6	7	8
Dahua	DH-IPC-HFW2231SP-S2-0360B	DH-IPC-HFW2239SP-SA-LED-S2	DH-IPC-HDW1239T1P-LED-0280B-S5-QH2	DH-IPC-HDW1239T1-LED-0280



Price (Rials)	۳۵,۷۵۰,۰۰۰	۴۴,۷۰۰,۰۰۰	۱۹,۰۱۰,۰۰۰	۲۱,۴۸۰,۰۰۰
Camera Type	Bullet	Bullet	Dome	Dome
Max Resolution	2MP(1920×1080) @25/30fps	2MP(1920×1080) @20fps	2MP(1920×1080) @25/30fps	2MP(1920×1080) @25/30fps
Sensor Size	1/2.8"	1/2.8"	1/2.8"	1/2.7"
Lens	3.6 Fixed	2.8 Fixed	2.8 Fixed	2.8 Fixed
Viewing Angle	87°	107°	106°	110°
Night Vision Distance	Starlight/ IR 30M	Warmlight/ IR 30 M	Warmlight/IR 30M	Warmlight/ IR 15M
Dynamic Range	WDR 120db	WDR 120db	DWDR	DWDR
Built in Mic	No	Yes	No	No
SD Card Support	Yes (Up to 256G)	Yes (Up to 256G)	No	No
Power Supply	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
Video Compression	SMART H.264/H.265	H.265+/H.264+/H.265/H.264H/MJPEG	H.265+/H.264+/H.265/H.264H/MJPEG	H.265+/H.264+/H.265/H.264H/MJPEG
Protection	IP67	IP67	IP67	IP67
Other Features	3D NR, HLC, BLC, digital watermarking, ROI	3D NR, HLC, BLC, ROI, Intelligent detection: Intrusion, tripwire	3D NR, BLC, HLC, ROI	3D NR, BLC, HLC



	9	10	11	12
Dahua	DH-IPC-HDW2239TP-AS-LED-S2	DH-IPC-HDW1230T1P-0280B-S5	DH-IPC-HDW1230S-S5	DH-IPC-HDW2230T-AS-S2
Price (Rials)	۴۴,۵۰,۰۰۰	۲۳,۴۷۰,۰۰۰	۲۹,۹۶۰,۰۰۰	۲۹,۳۶۰,۰۰۰
Camera Type	Dome	Dome	Dome	Dome
Max Resolution	2MP(1920×1080) @20fps	2MP(1920×1080) @25/30fps	2MP(1920×1080) @25/30fps	2MP(1920×1080) @25/30fps
Sensor Size	1/2.8"	1/2.7"	1/2.8"	1/2.7"
Lens	2.8/3.6 Fixed	2.8 Fixed	2.8/3.6 Fixed	2.8/3.6 Fixed
Viewing Angle	107° /91°	102°	102°/84°	110°/91°
Night Vision Distance	Warmlight/ IR 30 M	IR 30M	IR 30M	IR 30 M
Dynamic Range	WDR 120db	DWDR	DWDR	DWDR
Built in Mic	Yes	No	No	Yes
SD Card Support	Yes (Up to 256G)	No	No	Yes (Up to 256G)
Power Supply	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
Video Compression	H.265+/H.264+/H.265/H.264H/MJPEG	H.265+/H.264+/H.265/H.264H/MJPEG	SMART H.264+/H.265+	SMART H.264+/H.265+
Protection	IP67	IP67	IP67	IP67
Other Features	3D NR, HLC, BLC, ROI, Intelligent detection: Intrusion, tripwire	3D NR, BLC, HLC, AWB, AGC, ROI, EIS	3D NR, HLC, BLC, digital watermarking, ROI	3D NR, HLC, BLC, digital watermarking, ROI, Motion detection, video tampering,

	13	14	15	16
Dahua	DH-IPC-HDW2231TM-AS-S2	DH-IPC-HDW2231TP-AS-0360-S2	DH-IPC-HDBW2231E-S-S2	DH-IPC-HFW1431SP-0360B-S4



Price (Rials)	۴۱,۸۷۰,۰۰۰	۴۲,۸۳۰,۰۰۰	۳۶,۰۵۰,۰۰۰	۳۳,۲۶۰,۰۰۰
Camera Type	Dome	Dome	Dome	Bullet
Max Resolution	2MP(1920×1080) @25/30fps	2MP(1920×1080) @25/30fps	2MP(1920×1080) @25/30fps	4MP(2560×1440) @25/30fps
Sensor Size	1/2.8"	1/2.8"	1/2.8"	1/3"
Lens	2.8/3.6 Fixed	3.6 Fixed	2.8/3.6 Fixed	3.6 Fixed
Viewing Angle	107°/88°	88°	107°/88°	81°
Night Vision Distance	IR 30M	Starlight/ IR 30M	IR 30M	IR 30 M
Dynamic Range	WDR 120db	WDR 120db	WDR 120db	WDR 120db
Built in Mic	Yes	Yes	Yes	No
SD Card Support	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)	No
Power Supply	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
Video Compression	SMART H.264+/H.265+	SMART H.264+/H.265+	H.265;/ H.264/ H.264B/ MJPEG	SMART H.264/H.265
Protection	IP67	IP67	IP67, IK10	IP67
Other Features	3D NR, HLC, BLC, digital watermarking, ROI	3D NR, HLC, BLC, digital watermarking, ROI	3D NR, HLC, BLC, digital watermarking, ROI	3D NR, HLC, BLC, ROI, digital watermarking, Motion detection, video tampering

	17	18	19	20
Dahua	DH-IPC-HFW1431S1P-S4	DH-IPC-HFW2431SP-S-0360B-S2	DH-IPC-HFW2431TP-ZS-27135-S2	DH-IPC-HFW2439MP-AS-LED-B-S2



Price (Rials)	۲۴,۴۳۰,۰۰۰	۳۲,۸۵۰,۰۰۰	۸۹,۳۱۰,۰۰۰	۳۷,۲۹۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Bullet
Max Resolution	4MP(2688×1520) @25/30fps	4MP(2560×1440) @20fps	4MP(2560×1440) @25/30fps	4MP(2560×1440) @25/30fps
Sensor Size	1/3"	1/3"	1/3"	1/3"
Lens	2.8,3.6 Fixed	3.6 Fixed	Motorized (2.7–13.5 mm)	3.6/6 Fixed
Viewing Angle	93° /81°	81°	104°-27°	91°/55°
Night Vision Distance	IR 30 M	IR 30 M	IR 60 M	Warm light/ IR 40 M
Dynamic Range	WDR 120db	WDR 120db	WDR 120db	WDR 120db
Built in Mic	Yes	No	Yes	Yes
SD Card Support	No	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)
Power Supply	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
Video Compression	H.265/ H.264/ H.264B/ MJPEG	SMART H.264+/H.265+	SMART H.264/H.265	SMART H.264+/H.265+
Protection	IP67	IP67	IP67,IK10	IP67
Other Features	3D NR, HLC, BLC, ROI	3D NR, HLC, BLC, ROI, Smart detection (Tripwire Intrusion), AWB, AGC	3D NR, HLC, BLC, ROI, Smart detection (Tripwire Intrusion), AWB, AGC	3D NR, HLC, BLC, ROI, Smart detection (Tripwire Intrusion), digital watermarking, Motion detection, video tampering, scene changing

21

22

23

24

Dahua

DH-IPC-HFW3441TP-ZS

DH-IPC-HFW3441EP-AS-0360B

DH-IPC-HFW3449EP-AS-LED

DH-IPC-HFW5442EP-ZE-0832



Price (Rials)	۱۰۵,۶۴۰,۰۰۰	۵۶,۶۵۰,۰۰۰	۶۹,۸۷۰,۰۰۰	۱۵۶,۸۳۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Bullet
Max Resolution	4MP(2688×1520) @30fps	4MP(2688×1520) @30fps	4MP(2688×1520) @30fps	4MP(2688×1520) @20fps
Sensor Size	1/3"	1/3"	1/2.7"	1/1.8"
Lens	Motorized (2.7–13.5 mm)	3.6 Fixed	2.8/3.6 Fixed	Motorized (2.7–12 mm)
Viewing Angle	104°-27°	84°	103°/80°	114°-47°
Night Vision Distance	IR 60 M	IR 50 M	Warmlight/ IR 30 M	IR 50 M
Dynamic Range	WDR 120db	WDR 120db	WDR 120db	WDR 120db
Built in Mic	No	Yes	Yes	Yes
SD Card Support	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)
Power Supply	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
Video Compression	SMART H.264+/H.265+	H.265/H.264/H.264H/H.264B/MJPEG	H.265/H.264/H.264H/H.264B/MJPEG	H.265+/H.265/H.264+/H.264/MJPEG
Protection	IP67,IK10	IP67	IP67	IP67, IK10
Other Features	3D NR, HLC, BLC, ROI, Smart detection (Tripwire Intrusion), digital watermarking, Motion detection, video tampering, scene changing	3D NR, HLC, BLC, Intelligent detection: Intrusion, tripw	3D NR, HLC, BLC, Intelligent detection: Intrusion, tripw	3D NR, HLC, BLC, AWB, AGC, ePoE

	25	26	27	28
Dahua	DH-IPC-HFW2439SP-SA-LED-0360B-S2	DH-IPC-HFW4431EP-S-S4	DH-IPC-HDW3441TMP-AS	DH-IPC-HDW1431T1P-0280B-S4



Price (Rials)	۴۹,۳۱۰,۰۰۰	۵۶,۴۴۰,۰۰۰	۶۳,۹۸۰,۰۰۰	۳۱,۹۷۰,۰۰۰
Camera Type	Bullet	Bullet	Dome	Dome
Max Resolution	4MP(2688×1520) @20fps	4MP(2688×1520) @20fps	4MP(2688×1520) @20fps	4MP(2688×1520) @20fps
Sensor Size	1/3"	1/3"	1/3"	1/3"
Lens	3.6 Fixed	3.6 Fixed	2.8, 3.6 Fixed	2.8 Fixed
Viewing Angle	81°	81°	102°/84°	93°
Night Vision Distance	Warmlight/IR 30 M	IR 80 M	IR 30 M	IR 30 M
Dynamic Range	WDR 120db	WDR 120db	WDR 120db	WDR 120db
Built in Mic	Yes	No	Yes	No
SD Card Support	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)	No
Power Supply	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
Video Compression	SMART H.264+/H.265+	SMART H.264+/H.265+	H.265+/H.265/H.264+/H.264	H.265+/H.265/H.264+/H.264
Protection	IP67	IP67, IK10	IP67	IP67
Other Features	3D NR, HLC, BLC, ROI, Intelligent detection: Intrusion, tripwire	3D NR, HLC, BLC, ROI, Intelligent detection: Intrusion, tripwire	3D NR, HLC, BLC, digital watermarking, applicable to various monitoring scenes	3D NR, HLC, BLC, ROI, AWB, AGC

	29	30	31	32
Dahua	DH-IPC-HDBW1431EP-S4	DH-IPC-HDW2431TP-AS-S2	DH-IPC-HDBW2431EP-S-0360B-S2	DH-IPC-HDBW2431RP-ZS-S2
				
Price (Rials)	۴۲,۰۶۰,۰۰۰	۳۵,۷۰۰,۰۰۰	۴۳,۰۰۰,۰۰۰	۵۷,۷۴۰,۰۰۰
Camera Type	Dome	Dome	Dome	Dome
Max Resolution	4MP(2688×1520) @20fps	4MP(2688×1520) @20fps	4MP(2688×1520) @20fps	4MP(2688×1520) @20fps
Sensor Size	1/3"	1/3"	1/3"	1/3"
Lens	2.8 Fixed	3.6 Fixed	3.6 Fixed	Motorized (2.7–12 mm)
Viewing Angle	104°	84°	84°	114°-27°
Night Vision Distance	IR 30 M	IR 30 M	IR 30M	IR 30M
Dynamic Range	WDR 120db	WDR 120db	WDR 120db	WDR 120db
Built in Mic	No	Yes	Yes	Yes
SD Card Support	No	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 128G)
Power Supply	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
Video Compression	H.265+/H.265/H.264+/H.264	SMART H.264+/H.265+	SMART H.264+/H.265+	SMART H.264+/H.265+
Protection	IP67, IK10	IP67	IP67, IK10	IP67, IK10
Other Features	3D NR, HLC, BLC, ePoE, AWB, AGC	3D NR, HLC, BLC, ROI, Smart detection (Tripwire Intrusion), digital watermarking	3D NR, HLC, BLC, ROI	3D NR, HLC, BLC, ROI

	33	34	35	36
Dahua	DH-IPC-HDW2431TMP-AS-S2	DH-IPC-HDW2439TP-AS-LED-S2	DH-IPC-HDW3449TMP-AS-LED	DH-IPC-HDBW5442EP-ZE



Price (Rials)	۵۶,۱۷۰,۰۰۰	۴۲,۳۱۰,۰۰۰	۵۶,۵۴۰,۰۰۰	۱۴۷,۴۱۰,۰۰۰
Camera Type	Dome	Dome	Dome	Dome
Max Resolution	4MP(2688×1520) @20fps	4MP(2688×1520) @20fps	4MP(2688×1520) @30fps	4MP(2688×1520) @25/30fps
Sensor Size	1/3"	1/3"	1/2.7"	1/1.8"
Lens	2.8 Fixed	2.8 Fixed	2.8/3.6 Fixed	Motorized (2.7–12 mm)
Viewing Angle	102°	96°	103°/80°	114°-47°
Night Vision Distance	Starlight/ IR 30M	Warm light/IR 30 M	Warmlight/IR 30 M	IR 40 M
Dynamic Range	WDR 120db	WDR 120db	WDR 120db	WDR 140db
Built in Mic	Yes	Yes	Yes	No
SD Card Support	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)
Power Supply	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
Video Compression	SMART H.264/H.265	SMART H.264+/H.265+	H.265+/H.265/H.264+/H.264/MJPEG	H.265+/H.265/H.264+/H.264
Protection	IP67	IP67	IP67	IP67, IK10
Other Features	3D NR, HLC, BLC, ROI, Smart detection (Tripwire Intrusion), AWB, AGC	3D NR, HLC, BLC, ROI, Smart detection (Tripwire Intrusion), AWB, AGC	3D NR, HLC, BLC, AWB, AGC, ROI, Intelligent detection: Intrusion, tripwire	3D NR, HLC, BLC, ePoE, AWB, AGC

37

38

39

Dahua


DH-IPC-HFW2531SP-S-0360B-S2

DH-IPC-HDBW2531EP-S-S2

DH-IPC-HFW2831S-S-0360B-S2




Price (Rials)	۳۶,۸۵۰,۰۰۰	۳۶,۸۵۰,۰۰۰	۵۵,۴۸۰,۰۰۰
Camera Type	Bullet	Dome	Bullet
Max Resolution	5MP(2592×1944) @20fps	5MP(2592×1944) @20fps	8MP(3840×2160) @20fps
Sensor Size	1/2.7"	1/2.7"	1/2.7"
Lens	2.8/3.6 Fixed	2.8/3.6 Fixed	3.6 Fixed
Optical zoom	103°/84°	103°/84°	87°
Night Vision Distance	Starlight/IR 30 M	Starlight/IR 30 M	Starlight/IR 30 M
Dynamic Range	WDR 120db	WDR 120db	WDR 120db
Built in Mic	No	No	No
SD Card Support	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)
Power Supply	12V DC or POE	12V DC or POE	12V DC or POE
Video Compression	H.265+/H.265/H.264+/H.264	H.265+/H.265/H.264+/H.264	H.265+/H.265/H.264+/H.264
Protection	IP67	IP67, IK10	IP67
Other Features	3D NR, HLC, BLC	3D NR, HLC, BLC	3D NR, HLC, BLC



	40	41	42
Dahua	DH-SD5A232XA-HNR	DH-SD49225XA-HNR-S3	DH-SD5A432XA-HNR
Price (Rials)	۳۹۹,۶۱۰,۰۰۰	۲۴۸,۵۳۰,۰۰۰	۴۹۹,۴۵۰,۰۰۰
Camera Type	PTZ	PTZ	PTZ
Max Resolution	2MP(1920×1080) @50/60fps	2MP(1920×1080) @25/30fps	4MP(2560×1440) @25/30fps
Sensor Size	1/2.8"	1/2.8"	1/2.8"
Lens	4.9–156 mm	4.8–120 mm	4.9–156 mm
Optical zoom	32x	25x	32x
Night Vision Distance	Starlight/IR 150 M	Starlight/IR 100 M	Starlight/IR 150 M
Dynamic Range	WDR 120db	WDR 120db	WDR 120db
Built in Mic	No	No	Yes
SD Card Support	Yes (Up to 256G)	Yes (Up to 512G)	Yes (Up to 256G)
Power Supply	24V DC or POE	12 VDC, 3 or POE	24V DC or POE
Video Compression	H.265+/H.265/H.264+/H.264/MJPEG	H.265+/H.265/H.264+/H.264/MJPEG	H.265+, H.264+, H.265, H.264, MJPEG
Protection	IP67/IK10	IP66	IP67/IK10
Other Features	Defog, Roi,2D & 3D DNR, HLC, BLC, Tripwire and intrusion. Support alarm triggering by target types (human and vehicle). Support filtering false alarms caused by animals, rustling leaves, bright lights, etc.	Defog, Roi,2D & 3D DNR, HLC, BLC, Tripwire and intrusion. Support alarm triggering by target types (human and vehicle). Support filtering false alarms caused by animals, rustling leaves, bright lights, etc.	EIS, Defog, Roi,2D & 3D DNR, HLC, BLC, AWB, AGC, Deep Learning, Auto Track, Tripwire, intrusion, Object Abandoned/Missing, SMD Plus, Face Detection, human/motor vehicle/non-motor vehicle Classification, Animals/Leaves/Light False Alarm Filtering

43

44

45

46

Dahua

DHI-NVR1104HS-S3/H

DH-NVR4104HS-4KS2/L

DHI-NVR4104HS-P-4KS2/L

DHI-NVR1108HS-S3/H



Price (Rials)	۳۱,۰۰۰,۰۰۰	۵۶,۰۷۰,۰۰۰	۷۹,۳۰۰,۰۰۰	۲۶,۱۴۰,۰۰۰
NVR Type	4 Ch	4 Ch	4 Ch	8 Ch
Input BandWidth	80Mbps	80Mbps	80Mbps	80Mbps
Output Bandwidth	60Mbps	48Mbps	60Mbps	60Mbps
Audio Input/Output	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out
Decoding Capacity	Upto 8Mp	Upto 8Mp	Upto 8Mp	Upto 8Mp
Video Output	1 Port HDMI : 4K 1 Port VGA : 1080P	1 Port HDMI : 4K 1 Port VGA : 1080P	1 Port HDMI : 4k 1 Port VGA	1 Port HDMI : 1080p 1 Port VGA
POE Ports	-	-	4 POE Ports	-
SATA Interface	1 HDD up to 8TB	1 HDD up to 10TB	1 HDD up to 10TB	1 HDD up to 8TB
Network Interface	1 RJ45 100M	1 RJ45 100M	2 RJ45 100M	1 RJ45 100M
Chassis	Standalone 1U	Compact 1U	Standalone 1U	Standalone 1U
Other Features	Smart H.265+/H.265/Smart H.264+/H.264 Alarm I/O 4/1	Smart H.265+/ Smart H.264+/ H.265/ H.264/	Smart H.265/H.265/Smart H.264/H.264/MJPEG	Smart H.265+/H.265/Smart H.264+/H.264 Alarm I/O 4/1

	47	48	49	50
Dahua	DH-NVR4108HS-4KS2	DHI-NVR4108HS-4KS2/L	DH-NVR2108-8P-4KS2	DHI-NVR2108HS-I



Price (Rials)	۴۱,۹۰۰,۰۰۰	۵۶,۷۳۰,۰۰۰	۸۴,۸۱۰,۰۰۰	۵۱,۲۶۰,۰۰۰
NVR Type	8 Ch	8 Ch	8 Ch	8 Ch
Input BandWidth	80Mbps	80Mbps	80Mbps	80Mbps
Output Bandwidth	48Mbps	60Mbps	80Mbps	60Mbps
Audio Input/Output	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out
Decoding Capacity	Upto 8Mp	Upto 8Mp	Upto 8Mp	Upto 8Mp
Video Output	1 Port HDMI : 4K 1 Port VGA : 1080P	1 Port HDMI : 4K 1 Port VGA : 1080P	1 Port HDMI : 4K 1 Port VGA	1 Port HDMI : 4k 1 Port VGA
POE Ports	-	-	8 POE Ports	-
SATA Interface	1 HDD up to 10TB	1 HDD up to 10TB	1 HDD up to 10TB	1 HDD up to 8TB
Network Interface	1 RJ45 100M	1 RJ45 100M	1 RJ45 1000M	1 RJ45 100M
Chassis	Compact 1U	Compact 1U	Smart 1U	Standalone 1U
Other Features	Smart H.265+/ Smart H.264+/ H.265/ H.264/	Smart H.265+/ Smart H.264+/ H.265/ H.264/ AI by Camera: Face detection, perimeter protection, IVS, people counting, heat map, and SMD · Supports remote configuration and management of IPC	H.264/H.265/Smart H.264+/Smart H.265+/MJPEG	H.264/H.265/Smart H.264+/Smart H.265+/MJPEG Alarm I/O 4/1

51

52

53

54

Dahua

DH-NVR2108HS-8P-4KS2

DHI-NVR5208-4KS2

DHI-NVR5208-8P-4KS2

DHI-NVR2216-I



Price (Rials)	۵۸,۵۴۰,۰۰۰	۱۰۹,۲۵۰,۰۰۰	۱۵۱,۲۶۰,۰۰۰	۱۰۱,۶۴۰,۰۰۰
NVR Type	8 Ch	8 Ch	8 Ch	16 Ch
Input BandWidth	80Mbps	320Mbps	320Mbps	80Mbps
Output Bandwidth	80Mbps			80Mbps
Audio Input/Output	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out
Decoding Capacity	Upto 8Mp	Upto 12Mp	Upto 12MP	Upto 8Mp
Video Output	1 Port HDMI : 4K 1 Port VGA	1 Port HDMI : 4k 1 Port VGA	1 Port HDMI : 4k 1 Port VGA	1 Port HDMI : 1080p 1 Port VGA
POE Ports	8 POE Ports	-	8 POE Ports	-
SATA Interface	1 HDD up to 10TB	2 HDD up to 10TB	2 HDD up to 10TB	2 HDD up to 6TB
Network Interface	1 RJ45 1000M	1 RJ45 1000M	1 RJ45 1000M	1 RJ45 1000M
Chassis	Compact 1U	Standalone 1U	Standalone 1U	1U Lite
Other Features	H.264/H.265/Smart H.264+/Smart H.265+/MJPEG	Smart H.265+/H.265/Smart H.264+/H.264/MJPEG	Smart H.265+/H.265/Smart H.264+/H.264/MJPEG	H.265/H.264

	55	56	57	58
Dahua	DH-NVR2216-I2	DH-NVR2216-4KS2	DHI-NVR4116HS-4KS2/L	DHI-NVR4216-4KS2/L



Price (Rials)	۱۰۲,۵۳۰,۰۰۰	۶۷,۳۶۰,۰۰۰	۶۲,۲۲۰,۰۰۰	۸۷,۱۰۰,۰۰۰
NVR Type	16 Ch	16 Ch	16 Ch	16 Ch
Input BandWidth	144Mbps	80Mbps	80Mbps	160Mbps
Output Bandwidth	72Mbps	80Mbps	60Mbps	64Mbps
Audio Input/Output	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out
Decoding Capacity	Upto 8Mp	Upto 8Mp	Upto 8Mp	Upto 8Mp
Video Output	1 Port HDMI : 4K 1 Port VGA	1 Port HDMI : 1080p 1 Port VGA	1 Port HDMI : 1080p 1 Port VGA	1 Port HDMI : 4k 1 Port VGA
POE Ports	-	-	-	-
SATA Interface	2 HDD up to 10TB	2 HDD up to 6TB	1 HDD up to 8TB	2 HDD up to 10TB
Network Interface	1 RJ45 1000M	1 RJ45 1000M	1 RJ45 100M	1 RJ45 1000M
Chassis	1U	Standalone 1U	Compact 1U	Standalone 1U
Other Features	Smart H.265+/H.265/Smart H.264+/H.264/MJPEG	H.265/H.264	Smart H.265/H.264	Smart H.265/H.265/Smart H.264/H.264/MJPEG

59

60

61

62

Dahua

DHI-NVR4216-16P-4KS2/L

DHI-NVR5216-4KS2

DHI-NVR4232-4KS2

DHI-NVR4232-4KS2/L



Price (Rials)	۱۸۷,۰۷۰,۰۰۰	۱۶۷,۰۳۰,۰۰۰	۷۴,۳۶۰,۰۰۰	۱۱۵,۶۲۰,۰۰۰
NVR Type	16 Ch	16 Ch	32 Ch	32 Ch
Input BandWidth	160Mbps	320Mbps	200Mbps	160Mbps
Output Bandwidth	64Mbps	320Mbps	96Mbps	48Mbps
Audio Input/Output	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out
Decoding Capacity	Upto 8MP	Upto24MP	Upto 8MP	Upto 8MP
Video Output	1 Port HDMI : 4k 1 Port VGA	1 Port HDMI : 4k 1 Port VGA	1 Port HDMI : 4k 1 Port VGA	1 Port HDMI : 4k 1 Port VGA
POE Ports	16 POE Ports	-	-	-
SATA Interface	2 HDD up to 10TB	2 HDD up to 10TB	2 HDD up to 6TB	2 HDD up to 10TB
Network Interface	1 RJ45 1000M	1 RJ45 1000M	1 RJ45 1000M	1 RJ45 1000M
Chassis	Standalone 1U	Standalone 1U	Standalone 1U	Standalone 1U
Other Features	Smart H.265/H.265/Smart H.264/H.264/MJPEG	Smart H.265/H.265/Smart H.264/H.264/MJPEG	Smart H.265/H.265/Smart H.264/H.264/MJPEG	Smart H.265/H.265/Smart H.264/H.264/MJPEG

63

64

65

66

Dahua

DHI-NVR5232-4KS2(V2.0)

DHI-NVR4432-4KS2/L

DHI-NVR5432-4KS2(V2.0)

DHI-NVR608-32-4KS2



Price (Rials)	۱۶۱,۷۰۰,۰۰۰	۱۵۴,۶۸۰,۰۰۰	۲۳۵,۳۶۰,۰۰۰	۴۰۹,۸۵۰,۰۰۰
NVR Type	32 Ch	32 Ch	32 Ch	32 Ch
Input BandWidth	320Mbps	200Mbps	320Mbps	384Mbps
Output Bandwidth	320Mbps	96Mbps	320Mbps	384Mbps
Audio Input/Output	1Ch. In/ 1Ch. Out	1Ch. In/ 2Ch. Out	1Ch. In/ 2Ch. Out	1Ch. In/ 1Ch. Out
Decoding Capacity	Upto 12MP	Upto 8MP	Upto 12MP	Upto 12MP
Video Output	1 Port HDMI : 4k 1 Port VGA : 1080p	1 Port HDMI : 4k 1 Port VGA : 1080p	2 Port HDMI : 4k, 1080p 2 Port VGA : 1080p	2 Port HDMI : 4k 2 Port VGA : 1080p
POE Ports	-	-	-	-
SATA Interface	2 HDD up to 10TB	4 HDD up to 10TB	4 HDD up to 10TB	8 HDD up to 10TB
Network Interface	1 RJ45 1000M	2 RJ45 1000M	2 RJ45 1000M	2 RJ45 1000M
Chassis	Standalone 1U	1.5U	1.5U	2U
Other Features	Smart H.265/H.265/Smart H.264/H.264/MJPEG	Smart H.265/H.265/Smart H.264/H.264/MJPEG	Smart H.265/H.265/Smart H.264/H.264/MJPEG	Smart H.265/H.265/Smart H.264/H.264/MJPEG

67

Dahua

DH-NVR608-64-4KS2



Price (Rials)	۷۷۴,۷۳۰,۰۰۰
NVR Type	64 Ch
Input BandWidth	384Mbps
Output Bandwidth	384Mbps
Audio Input/Output	1Ch. In/ 1Ch. Out
Decoding Capacity	Upto 12MP
Video Output	2 Port HDMI : 4k 2 Port VGA : 1080p
POE Ports	-
SATA Interface	8 HDD up to64TB
Network Interface	2 RJ45 1000M
Chassis	2U
Other Features	H.265/H.264/MJPEG, Support Smart Tracking and Intelligent Video