



لیست قیمت رسمی فرورد ۱۴۰۲


تارتن دژ آریانا

فروش محصولات داهوا

تمامی کالاها دارای 24 ماه گارانتی پارس ارتباط

۰۲۱-۸۸۵۰۰۰۲۰

۰۹۹۳-۳۲۴۰۸۹۹



1

2

3

4

Dahua

DH-HAC-B1A21P-0280B

DH-HAC-B2A21P-0280B

DH-HAC-B2A21-0360B

DH-HAC-B2A41P-0280B-S2



Price (Rials)

۱۰,۹۰۰,۰۰۰

۱۳,۲۹۰,۰۰۰

۱۳,۲۹۰,۰۰۰

۱۷,۷۳۰,۰۰۰

Camera Type

Bullet

Bullet

Bullet

Bullet

Imaging Sensor

2 Megapixel

2 Megapixel

2 Megapixel

4 Megapixel

Resolution

HD1080P

HD1080P

HD1080P

4MP (2560×1440)

Signal System

CVI, TVI, AHD, CVBS

CVI, TVI, AHD, CVBS

CVI, TVI, AHD, CVBS

CVI, TVI, AHD, CVBS

Min. Illustration

0.04Lux/F2.0

0.04Lux/F1.85

0.04Lux/F2.0

0.04Lux/F2.0

Lens

2.8 Fixed

2.8 Fixed

3.6 Fixed

3.6 Fixed

Viewing Angle

103°

103°

84°

84°

IR Range

Up to 20m

Up to 20m

Up to 20m

Up to 20m

Body Type

Plastic

Metal

Metal

Metal

IP Standard

IP67

IP67

IP67

IP67

OSD Menu

No

Yes

No

Yes

WDR

DWDR

DWDR

DWDR

DWDR

Power Supply

12 VDC

12 VDC

12 VDC

12 VDC

Other Features

Smart IR, HLC, BLC, 2D DNR,AWB, AGC, Switchable

Smart IR, HLC, BLC, 2D DNR,AWB, AGC, Switchable

Smart IR, HLC, BLC, 2D DNR,AWB, Switchable

Smart IR, HLC, BLC, 2D DNR,AGC, Switchable

5

6

7

8

Dahua

DH-HAC-HFW1200DP-0360B-S5

DH-HAC-HFW1200TLP-S5

DH-HAC-HFW1231RP-Z-A

DH-HAC-HFW1200SP-0360B-S5




Price (Rials)

۲۰,۴۱۰,۰۰۰

۱۵,۷۸۰,۰۰۰

۴۲,۸۳۰,۰۰۰

۱۶,۶۲۰,۰۰۰

Camera Type

Bullet

Bullet

Bullet

Bullet

Imaging Sensor

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

Resolution

HD1080P

HD1080P

HD1080P

HD1080P

Signal System

CVI, TVI, AHD, CVBS

CVI, TVI, AHD, CVBS

CVI, TVI, AHD, CVBS

CVI, TVI, AHD, CVBS

Min. Illustration

0.02Lux/F1.9

0.02Lux/F1.9

0.002Lux/F1.5

0.02Lux/F1.8

Lens

3.6 Fixed

2.8 Fixed

Motorized (2.7–12 mm)

3.6 Fixed

Viewing Angle

84°

100°

102°-33°

84°

IR Range

Up to 80m

Up to 40m

Starlight Up to 80m

Up to 30m

Body Type

Plastic

Plastic

Metal

Metal

IP Standard

IP67

IP67

IP67

IP67

OSD Menu

No

Yes

No

Yes

WDR

DWDR

DWDR

WDR 130db

DWDR

Power Supply

12 VDC

12 VDC

12 VDC

12 VDC

Other Features

Smart IR, HLC, BLC, 2D NR, Switchable

Smart IR, HLC, BLC, Switchable

Smart IR, HLC, BLC, 3D NR, Switchable.
Built in mic

Smart IR, HLC, BLC, 2D NR, Switchable

9

10

11

12

Dahua

DH-HAC-HFW1200TP-0280B-S5

DH-HAC-HFW1200THP-I8

DH-HAC-HFW1200CP-A-0360B-S5

DH-HAC-HFW1200CMP-A




Price (Rials)	۱۵,۸۱۰,۰۰۰	۲۱,۰۰۰,۰۰۰	۱۵,۹۱۰,۰۰۰	۲۱,۲۱۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Bullet
Imaging Sensor	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Resolution	HD1080P	HD1080P	HD1080P	HD1080P
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.02Lux/F1.9	0.02Lux/F1.9	0.02Lux/F1.9	0.02Lux/F1.9
Lens	2.8 Fixed	3.6 Fixed	3.6 Fixed	3.6 Fixed
Viewing Angle	100°	84°	84°	84°
IR Range	Up to 30m	Up to 80m	Up to 30m	Up to 30m
Body Type	Metal	Plastic & Metal	Plastic	Metal
IP Standard	IP67	IP67	IP67	IP67
OSD Menu	No	No	No	Yes
WDR	DWDR	DWDR	DWDR	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, HLC, BLC, 2D NR, Switchable	Smart IR, HLC, BLC, 2D NR, Switchable	Smart IR, HLC, BLC, Switchable, Built in Mic- Electronic Defog	Smart IR, HLC, BLC, Switchable, Built in Mic

13

14

15

16

Dahua

DH-HAC-T2A21P-0280B

DH-HAC-T1A41P-0280B-S2

DH-HAC-T2A41P-0280B-S2

DH-HAC-T2A51-0280B-S2




Price (Rials)	۱۲,۸۰۰,۰۰۰	۱۳,۵۲۰,۰۰۰	۱۶,۴۹۰,۰۰۰	۱۹,۹۶۰,۰۰۰
Camera Type	Dome	Dome	Dome	Dome
Imaging Sensor	2 Megapixel	4 Megapixel	4 Megapixel	5 Megapixel
Resolution	HD1080P	4MP (2560×1440)	4MP (2560×1440)	5MP (2560×1944)
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.04Lux/F2.0	0.04Lux/F2.0	0.04Lux/F2.0	0.02Lux/F2.0
Lens	2.8 Fixed	2.8 Fixed	3.6 Fixed	3.6 Fixed
Viewing Angle	100°	100°	76.4°	88°
IR Range	Up to 20m	Up to 20m	Up to 20m	Up to 20m
Body Type	Metal	Plastic	Metal	Metal
IP Standard	IP67	-	IP67	IP67
OSD Menu	Yes	Yes	Yes	Yes
WDR	DWDR	DWDR	DWDR	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, HLC, BLC, 2D DNR,AWB, AGC, Switchable	Smart IR, HLC, BLC,2D DNR, AGC, Switchable	Smart IR, HLC, BLC,2D DNR, AGC, Switchable	Smart IR, HLC, BLC, AGC, Switchable

17

18

19

20

Dahua

DH-HAC-HDW1209TLQP-A-LED-0280B

DH-HAC-HDW1239TP-A-LED-0280B-S2

DH-HAC-HDW1209TLQP-LED-0280B

DH-HAC-HDW1239TLQP-A-LED




Price (Rials)	۱۶,۲۳۰,۰۰۰	۲۹,۲۰۰,۰۰۰	۱۵,۰۱۴,۰۰۰	۲۶,۲۰۰,۰۰۰
Camera Type	Dome	Dome	Dome	Dome
Imaging Sensor	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Resolution	HD1080P	HD1080P	HD1080P	HD1080P
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.01Lux/F1.6	0.001Lux/F1.6	0.01Lux/F1.6	0.001Lux/F1.6
Lens	2.8 Fixed	2.8 Fixed	2.8 Fixed	2.8 Fixed
Viewing Angle	106°	107°	106°	107°
IR Range	Starlight/Up to 20m	Starlight/Up to 40m	Starlight/Up to 20m	Starlight/Up to 20m
Body Type	Plastic & Metal	Plastic	Plastic & Metal	Plastic
IP Standard	IP67	IP67	IP67	IP67
OSD Menu	Yes	Yes	No	Yes
WDR	DWDR	WDR 130db	DWDR	WDR 130db
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, BLC, Switchable. Built in mic	Smart IR, HLC, BLC,3D DNR, Switchable, Built in mic	Smart IR, HLC, BLC,2D DNR, AGC, Switchable	Smart IR, HLC, BLC,3D DNR, AGC, Switchable

21

22

23

24

Dahua

DH-HAC-HDW1200EMP-A-0280B-S5

DH-HAC-HDW1200MP-0280B-S5

DH-HAC-HFW1400TP-0280B-S3

DH-HAC-HFW1500TP-A-S2-0280B




Price (Rials)	۱۷,۵۸۰,۰۰۰	۱۴,۷۱۰,۰۰۰	۲۴,۱۴۰,۰۰۰	۲۵,۵۸۰,۰۰۰
Camera Type	Dome	Dome	Bullet	Bullet
Imaging Sensor	2 Megapixel	2 Megapixel	4 Megapixel	5 Megapixel
Resolution	HD1080P	HD1080P	4MP (2560×1440)	5MP (2592×1944)
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.02Lux/F1.85	0.02Lux/F1.9	0.02Lux/F2.0	0.02Lux/F1.85
Lens	2.8 Fixed	2.8 Fixed	3.6 Fixed	3.6 Fixed
Viewing Angle	101°	101°	87°	84°
IR Range	Up to 50m	Up to 30m	Up to 30m	Up to 30m
Body Type	Metal	Metal	Metal	Metal
IP Standard	IP67	IP67	IP67	IP67
OSD Menu	No	No	Yes	Yes
WDR	DWDR	DWDR	DWDR	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, HLC, BLC,2D DNR, AGC, Switchable, Built in mic	Smart IR, HLC, BLC,2D DNR, Switchable	Smart IR, HLC, BLC,2D DNR,AGC, Switchable	Smart IR, HLC, BLC, 2D NR, Switchable, AGC, Built in mic

25

26

27

28

Dahua

DH-HAC-HFW1509CP-A-LED-0360B-S2

DH-HAC-HDW1500TMQP-A-0280B-S2

DH-HAC-HDW1509TLQP-LED-0360B-S2

DH-HAC-HDW1509TP-A-LED-0280B-S2



Price (Rials)

۳۴,۹۳۰,۰۰۰

۲۶,۵۰۰,۰۰۰

۳۴,۹۳۰,۰۰۰

۴۱,۱۶۰,۰۰۰

Camera Type

Bullet

Dome

Dome

Dome

Imaging Sensor

5 Megapixel

5 Megapixel

5 Megapixel

5 Megapixel

Resolution

5MP (2880×1620)

5MP (2560×1944)

5MP (2880×1620)

5MP (2880×1620)

Signal System

CVI, TVI, AHD, CVBS

CVI, TVI, AHD, CVBS

CVI, TVI, AHD, CVBS

CVI, TVI, AHD, CVBS

Min. Illustration

0.001Lux/F1.0

0.005Lux/F1.6

0.001Lux/F1.0

0.001Lux/F1.0

Lens

2.8 Fixed

2.8 Fixed

2.8 Fixed

3.6 Fixed

Viewing Angle

112°

105°

112°

84°

IR Range

Up to 20m

Up to 60m

Up to 20m

Up to 40m

Body Type

Plastic & Metal

Plastic & Metal

Metal

Metal

IP Standard

IP67

IP67

IP67

IP67

OSD Menu

No

Yes

Yes

Yes

WDR

WDR 120db

DWDR

WDR 120db

WDR 120db

Power Supply

12 VDC

12 VDC

12 VDC

12 VDC

Other Features

Smart IR, HLC, BLC, 3D NR, Switchable

Smart IR, HLC, BLC, 2D DNR, Switchable, Built in Mic

Smart IR, HLC, BLC, 3D NR, Switchable

Smart IR, HLC, BLC, 3D NR, Switchable

29

30

Dahua

DH-SD42215-HC-LA

DH-SD49225-HC-LA




Price (Rials)	C all: +۲۱-۸۸۵۰۰۰۲۰	
Camera Type	PTZ	PTZ
Imaging Sensor	2 Megapixel	2 Megapixel
Resolution	1920 x 1080	1920 x 1080
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.005Lux/F1.6	0.005Lux/F1.6
Lens	5-75 mm	4.8-120 mm
Viewing Angle	15x	25x
IR Range	Starlight	Starlight
Body Type	Plastic	Plastic
IP Standard	IP66/IK10	IP66
OSD Menu	No	No
WDR	Yes (120db)	Yes (120db)
Power Supply	DC 12V/3A	DC 12V/3A
Other Features	EDefog, RoI, 3D DNR, HLC, BLC	EDefog, 3D DNR, HLC, BLC, Auto iris, Auto focus

31

32

33

34

Dahua

DH-XVR5104HS-4KL-I3

DH-XVR1B08-I

DH-XVR5108HS-4KL-I2

DH-XVR5108HS-4KL-I3



Price (Rials)	۶۸,۹۷۰,۰۰۰	۳۴,۷۸۰,۰۰۰	۱۰۸,۵۰۰,۰۰۰	۱۱۵,۵۶۰,۰۰۰
XVR Type	4 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	8 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	8 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	8 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP
Analog Video Input	4 Ch. HDCVI/AHD/TVI Up to 4K	8 Ch. HDCVI/AHD/TVI Up to 2MP	8 Ch. HDCVI/AHD/TVI Up to 8MP	8 Ch. HDCVI/AHD/TVI Up to 8MP
IP Video Input	4+4 Ch. Up to 8MP	8+2 Ch. Up to 6MP	8+8 Ch. Up to 8MP	8+8 Ch. Up to 8MP
Audio Input/Output	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out
Recording	4K: 25/30FPS 6MP: 25/30FPS	2MP: 25/30FPS 720P: 25/30FPS	4K: 25/30FPS 5MP: 25/30FPS 4MP: 25/30FPS	4K: 7FPS 5MP: 12FPS 4MP: 15FPS
Video Output	1 Port HDMI : 4K 1 Port VGA: 1080P	1 Port HDMI 1 Port VGA	1 Port HDMI 1 Port VGA	1 Port HDMI 1 Port VGA
SATA Interface	1 HDD up to 10TB	1 HDD up to 6TB	1 HDD up to 10TB	1 HDD up to 10TB
Network Interface	1 RJ45 100M	1 RJ45 100M	1 RJ45 1000M	1 RJ45 1000M
Chassis	Standalone 1U	Standalone 1U	Compact 1U	Standalone 1U
Other Features	AI Coding/H.265+/H.265/H.264+/H.264/ face recognition/Human/Vehicle Classification, IoT Support	H.265+/H.265/H.264+/H.264	AI Coding/H.265+/H.265/H.264+/H.264	AI Codin/H.265+/H.265/H.264+/H.264

35

36

37

Dahua

DH-XVR1B16-I

DH-XVR5216AN-I3

DH-XVR5216AN-4KL-I3



Price (Rials)	۶۸,۷۰۰,۰۰۰	۱۴۴,۶۱۰,۰۰۰	۲۲۲,۲۷۰,۰۰۰
XVR Type	16 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	16 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	16 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP
Analog Video Input	16 Ch. HDCVI/AHD/TVI Up to 2MP	16 Ch. HDCVI/AHD/TVI Up to 2MP	16 Ch. HDCVI/AHD/TVI Up to 4K
IP Video Input	16+2 Ch. Up to 6MP	16+2 Ch. Up to 6MP	16+16 Ch. Up to 8MP
Audio Input/Output	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out
Recording	2MP: 25FPS 720P: 25FPS	2MP: 25FPS 720P: 25FPS	4K: 25/30FPS 720P:25/30FPS
Video Output	1 Port HDMI 1 Port VGA	1 Port HDMI 1 Port VGA	1 Port HDMI :4k 1 Port VGA : 1080p
SATA Interface	1 HDD up to 6TB	2 HDD up to 16TB	2 HDD up to 16TB
Network Interface		1 RJ45 1000M	1 RJ45 1000M
Chassis	Standalone 1U	Standalone 1U	Standalone 1U
Other Features	H.265+/H.265	AI Coding/H.265+/H.265/H.264+/H.264, Secondary filtering for human and motor vehicle , reducing false alarms caused by leaves, rain and lighting condition change	AI Coding/H.265+/H.265/H.264+/H.264, Secondary filtering for human and motor vehicle , reducing false alarms caused by leaves, rain and lighting condition change