



لیست قیمت رسمی بهمن ۱۴۰۳


تارتن دژ آریانا

فروش محصولات داهوا

تمامی کالاها دارای 24 ماه گارانتی پارس ارتباط

۰۲۱-۸۸۵۰۰۰۲۰

۰۹۹۰-۱۳۶۸۰۰۲



1

2

3

4

Dahua

DH-HAC-B1A21P-0280B

DH-HAC-B2A21P-0360B

DH-HAC-HFW1200CP-0280B-S5

DH-HAC-HFW1200CP-0360B-S5



Price (Rials)	۶,۷۱۰,۰۰۰	۸,۸۰۰,۰۰۰	۸,۵۸۰,۰۰۰	۸,۵۸۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Bullet
Imaging Sensor	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Resolution	HD1080P	HD1080P	HD1080P	HD1080P
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.02Lux/F2.0	0.04Lux/F1.85	0.01Lux/F2.0	0.01Lux/F2.0
Lens	2.8 Fixed	3.6 Fixed	2.8 Fixed	3.6 Fixed
Viewing Angle	100°	93°	102°	83°
IR Range	Up to 20m	Up to 20m	Up to 30m	Up to 30m
Body Type	Plastic	Metal	Plastic	Plastic
IP Standard	IP67	IP67	IP67	IP67
OSD Menu	No	Yes	No	No
WDR	DWDR	DWDR	DWDR	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, BLC, 2D DNR,AWB, Switchable	Smart IR, HLC, BLC, 2D DNR,AWB, AGC, Switchable	Smart IR, HLC, BLC, 3D NR, Switchable	Smart IR, HLC, BLC, 3D NR, Switchable

5

6

7

8

Dahua

DH-HAC-HFW1200DP-0360B-S5

DH-HAC-HFW1209CP-A-LED-0280B-S2

DH-HAC-HFW1239TP-A-LED-0360B-S2

DH-HAC-HFW1209TLMP-A-LED-0280B-S2




Price (Rials)	۱۱,۸۸۰,۰۰۰	۱۲,۷۶۰,۰۰۰	۱۵,۹۵۰,۰۰۰	۱۴,۸۵۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Bullet
Imaging Sensor	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Resolution	HD1080P	HD1080P	HD1080P	HD1080P
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.02Lux/F2.0	0.005Lux/F1.6	0.001Lux/F1.6	0.01Lux/F1.6
Lens	3.6 Fixed	2.8 Fixed	3.6 Fixed	2.8 Fixed
Viewing Angle	89.9°	108°	86°	106°
IR Range	Up to 80m	Full-color Up to 20m	Full-color Up to 20m	Full-color Up to 40m
Body Type	Aluminium	Plastic & Metal	Metal	Plastic & Metal
IP Standard	IP67	IP67	IP67	IP67
OSD Menu	Yes	No	No	Yes
WDR	DWDR	DWDR	WDR 130db	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, HLC, BLC, 2D NR, AGC, Switchable	Smart Light, HLC, BLC, Switchable, Built in Mic	Smart Light, HLC, BLC, 3D NR, Switchable, Built in mic	Smart Light, BLC, 2D NR, Switchable, Built in mic

9

10

11

12

Dahua

DH-HAC-T1A21P-0280B

DH-HAC-T2A21P-0280B

DH-HAC-HDW1200TLMP-0280B-S6

DH-HAC-HDW1200TLMQP-A-0280B-S5



Price (Rials)	۷,۲۶۰,۰۰۰	۸,۸۰۰,۰۰۰	۱۰,۴۵۰,۰۰۰	۱۱,۲۲۰,۰۰۰
Camera Type	Dome	Dome	Dome	Dome
Imaging Sensor	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Resolution	HD1080P	HD1080P	HD1080P	HD1080P
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.02Lux/F2.0	0.02Lux/F2.0	0.01Lux/F2.0	0.02Lux/F1.9
Lens	2.8 Fixed	2.8 Fixed	2.8 Fixed	2.8 Fixed
Viewing Angle	100°	100°	102°	101°
IR Range	Up to 20m	Up to 20m	Up to 30m	Up to 30m
Body Type	Plastic	Metal	Metal	Plastic & Metal
IP Standard	-	IP67	IP67	IP67
OSD Menu	No	No	Yes	Yes
WDR	DWDR	DWDR	DWDR	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, BLC, 2D DNR, Switchable	Smart IR, BLC, 2D DNR, Switchable	Smart IR, BLC, HLC, 2D DNR, Switchable	Smart IR, BLC, HLC, 2D DNR, Switchable, Built-in mic

13

14

15

16

Dahua

DH-HAC-HDW1200TRQP-A-0280B-S5

DH-HAC-HDW1200CLQP-IL-A-0280B-KS6

DH-HAC-HDW1200EMP-A-0280B-S5

DH-HAC-HDW1209TQP-LED-0280B-S2




Price (Rials)	۱۰,۴۵۰,۰۰۰	۱۲,۱۰۰,۰۰۰	۱۱,۸۸۰,۰۰۰	۱۱,۵۵۰,۰۰۰
Camera Type	Dome	Dome	Dome	Dome
Imaging Sensor	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Resolution	HD1080P	HD1080P	HD1080P	HD1080P
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.02Lux/F1.9	0.01Lux/F2.0	0.02Lux/F1.9	0.01Lux/F1.6
Lens	2.8 Fixed	2.8 Fixed	2.8 Fixed	2.8 Fixed
Viewing Angle	101°	102°	101°	106°
IR Range	Up to 25m	Dual Light Up to 20m	Up to 50m	Full-color Up to 40m
Body Type	Plastic	Plastic	Metal	Plastic & Metal
IP Standard	IP50	IP67	IP67	IP67
OSD Menu	Yes	Yes	No	Yes
WDR	DWDR	DWDR	DWDR	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, BLC,HLC, Switchable, 2D NR	Smart Light, BLC, HLC, 3D DNR, Switchable, Built in Mic	Smart IR, HLC, BLC,2D DNR, Switchable, Built in mic	Smart Light, BLC,2D DNR, Switchable

17

18

19

20

Dahua

DH-HAC-HDW1209TLQP-A-LED-0280B-S2 DH-HAC-HDW1209TQP-A-LED-0280B-S2 DH-HAC-HDW1209TLQP-LED-0280B-S2 DH-HAC-HFW1500CMP-0360B-S2




Price (Rials)	۱۳,۵۳۰,۰۰۰	۱۴,۳۰۰,۰۰۰	۱۱,۵۵۰,۰۰۰	۱۴,۸۵۰,۰۰۰
Camera Type	Dome	Dome	Dome	Bullet
Imaging Sensor	2 Megapixel	2 Megapixel	2 Megapixel	5 Megapixel
Resolution	HD1080P	HD1080P	HD1080P	5MP (2880×1620)
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.01Lux/F1.6	0.01Lux/F1.6	0.01Lux/F1.6	0.005Lux/F1.6
Lens	2.8 Fixed	2.8 Fixed	2.8 Fixed	2.8 Fixed
Viewing Angle	106°	106°	106°	111°
IR Range	Starlight/Up to 20m	Full-color Up to 40m	Starlight/Up to 20m	Starlight/Up to 30m
Body Type	Plastic & Metal	Plastic & Metal	Plastic & Metal	Plastic & Metal
IP Standard	IP67	IP67	IP67	IP67
OSD Menu	Yes	Yes	Yes	No
WDR	DWDR	DWDR	DWDR	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart Light, BLC, Switchable, 2D DNR	Smart Light, BLC, 2D DNR, Switchable, Built in Mic	Smart Light, BLC, 2D DNR, Switchable	Smart IR, HLC, BLC, 2D NR, Switchable

21

22

23

24

Dahua

DH-HAC-HFW1500CMP-IL-A-0280B-S2

DH-HAC-HFW1500DP-0360B-S2

DH-HAC-HFW1500TP-A-0360B-S2

DH-HAC-HFW1500TLMP-IL-A-0280B-S2




Price (Rials)	۱۷,۶۰۰,۰۰۰	۱۹,۰۳۰,۰۰۰	۱۶,۵۰۰,۰۰۰	۱۷,۳۸۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Bullet
Imaging Sensor	5 Megapixel	5 Megapixel	5 Megapixel	5 Megapixel
Resolution	5MP (2880×1620)	5MP (2880×1620)	5MP (2592×1944)	5MP (2880×1620)
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.05Lux/F1.6	0.01Lux/F1.6	0.02Lux/F1.85	0.05Lux/F1.6
Lens	2.8 Fixed	3.6 Fixed	3.6 Fixed	3.6 Fixed
Viewing Angle	106°	92°	92°	88°
IR Range	Dual light Up to 20m	Starlight/Up to 80m	Starlight/Up to 30m	Dual light Up to 40m
Body Type	Plastic & Metal	Metal	Metal	Plastic & Metal
IP Standard	IP67	IP67	IP67	IP67
OSD Menu	No	Yes	Yes	Yes
WDR	DWDR	DWDR	DWDR	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart Light, HLC, BLC, 2D NR, Switchable, Built-in MIC	Smart IR, HLC, BLC, 2D NR, Switchable	Smart IR, HLC, BLC, 2D NR, Switchable, Built in mic	Smart Light, HLC, BLC, 2D NR, Switchable

25

26

27

28

Dahua

DH-HAC-HFW1509CP-LED-0280B-S2

DH-HAC-HFW1509TP-LED-0360B-S2

DH-HAC-HFW1509TP-A-LED-0360B-S2

DH-HAC-HFW1509TLMP-A-LED-0280B-S2



Price (Rials)	۱۶,۹۴۰,۰۰۰	۱۹,۵۸۰,۰۰۰	۲۰,۷۹۰,۰۰۰	۲۳,۱۰۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Bullet
Imaging Sensor	5 Megapixel	5 Megapixel	5 Megapixel	5 Megapixel
Resolution	5MP (2880×1620)	5MP (2880×1620)	5MP (2880×1620)	5MP (2880×1620)
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.001Lux/F1.0	0.001Lux/F1.0	0.001Lux/F1.0	0.001Lux/F1.0
Lens	2.8 Fixed	3.6 Fixed	3.6 Fixed	2.8 Fixed
Viewing Angle	112°	88°	88°	112°
IR Range	Full-color Up to 20m	Full-color Up to 20m	Full-color Up to 20m	Full-color Up to 40m
Body Type	Plastic & Metal	Metal	Metal	Plastic & Metal
IP Standard	IP67	IP67	IP67	IP67
OSD Menu	No	No	No	No
WDR	WDR 120db	WDR 120db	WDR 120db	WDR 120db
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart Light, HLC, BLC, 3D NR, Switchable, HLC-Pro	Smart Light, HLC, HLC-Pro, BLC,3D NR, Switchable	Smart Light, HLC, HLC-Pro, BLC,3D NR, Switchable, Built in mic	Smart Light, HLC, BLC, 3D NR, Switchable, Built in mic



29

30

31

32

Dahua

DH-HAC-HFW1509TLMP-A-LED-0360B-S2

DH-HAC-HFW1509TLMP-IL-A-0360B-S2

DH-HAC-HFW1509MHP-A-LED-0360B-S2

DH-HAC-HDW1500CLQP-IL-A-0280B-S2




Price (Rials)	۲۳,۱۰۰,۰۰۰	۲۴,۷۵۰,۰۰۰	۲۶,۹۵۰,۰۰۰	۱۷,۳۸۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Dome
Imaging Sensor	5 Megapixel	5 Megapixel	5 Megapixel	5 Megapixel
Resolution	5MP (2880×1620)	5MP (2880×1620)	5MP (2880×1620)	5MP (2880×1620)
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.001Lux/F1.0	0.001Lux/F1.0	0.001Lux/F1.0	0.05Lux/F1.6
Lens	3.6 Fixed	3.6 Fixed	3.6 Fixed	2.8 Fixed
Viewing Angle	88°	89°	88°	106°
IR Range	Full-color Up to 40m	Dual light Up to 40m	Full-color Up to 50m	Dual Light Up to 20m
Body Type	Plastic & Metal	Plastic & Metal	Plastic & Metal	Plastic
IP Standard	IP67	IP67	IP67	IP67
OSD Menu	No	No	No	Yes
WDR	WDR 120db	WDR 120db	WDR 120db	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart Light, HLC, BLC, 3D NR, Switchable, Built in mic	Smart Light, HLC, HLC-Pro, BLC, 3D NR, Switchable, Built-in MIC	Smart Light, HLC, BLC, 3D NR, Switchable, Built in Mic	Smart Light, BLC, HLC, 2D DNR, Switchable, Built in Mic

33

34

35

36

Dahua

DH-HAC-HDW1500TMQP-A-0280B-S2

DH-HAC-HDW1500TRQP-A-0280B-S2

DH-HAC-HDW1500TLQP-A-0280B-S2

DH-HAC-HDW1500TLMP-IL-A-0280B-S2



	33	34	35	36
Price (Rials)	۱۷,۰۵۰,۰۰۰	۱۴,۸۵۰,۰۰۰	۱۶,۱۷۰,۰۰۰	۱۷,۶۰۰,۰۰۰
Camera Type	Dome	Dome	Dome	Dome
Imaging Sensor	5 Megapixel	5 Megapixel	5 Megapixel	5 Megapixel
Resolution	5MP (2880×1620)	5MP (2880×1620)	5MP (2880×1620)	5MP (2880×1620)
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.01Lux/F1.6	0.005Lux/F1.6	0.01Lux/F1.6	0.05Lux/F1.6
Lens	2.8 Fixed	2.8 Fixed	2.8 Fixed	2.8 Fixed
Viewing Angle	111°	111°	111°	106°
IR Range	Starlight/Up to 30m	Starlight/Up to 25m	Starlight/Up to 30m	Dual Light Up to 20m
Body Type	Plastic & Metal	Plastic	Plastic & Metal	Metal
IP Standard	IP67	IP50	IP67	IP67
OSD Menu	Yes	Yes	Yes	Yes
WDR	DWDR	DWDR	WDR 120db	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, HLC, BLC, 2D DNR, Switchable, Built in Mic	Smart IR, HLC, BLC, 2D NR, Switchable, Built-in mic	Smart IR, HLC, BLC, 2D NR, Switchable, Built-in mic	Smart Light, HLC, BLC, 2D NR, Switchable, Built-in mic

Dahua

DH-HAC-HDW1509TLQP-A-LED-0280B-S2



Price (Rials)	۱۹,۸۰۰,۰۰۰
Camera Type	Dome
Imaging Sensor	5 Megapixel
Resolution	5MP (2880×1620)
Signal System	CVI, TVI, AHD, CVBS
Min. Illustration	0.001Lux/F1.0
Lens	2.8 Fixed
Viewing Angle	112°
IR Range	Starlight/Up to 20m
Body Type	Plastic & Metal
IP Standard	IP67
OSD Menu	No
WDR	WDR 120db
Power Supply	12 VDC
Other Features	Smart Light, HLC, BLC, 3D NR, Switchable, Built-in mic

38

39

40

41

Dahua

DH-XVR1B04-I

DH-XVR5104HS-I3

DH-XVR5104HS-4KL-I3

DH-XVR1B08-I



Price (Rials)

۱۸,۷۰۰,۰۰۰

۳۳,۳۳۰,۰۰۰

۴۲,۹۰۰,۰۰۰

۲۲,۹۹۰,۰۰۰

XVR Type

4 Ch. quadruple Hybrid  
HD-CVI /AHD/ CVBS/TVI / IP4 Ch. quadruple Hybrid  
HD-CVI /AHD/ CVBS/TVI / IP4 Ch. quadruple Hybrid  
HD-CVI /AHD/ CVBS/TVI / IP8 Ch. quadruple Hybrid  
HD-CVI /AHD/ CVBS/TVI / IP

Analog Video Input

4 Ch. HDCVI/AHD/TVI  
Up to 2MP4 Ch. HDCVI/AHD/TVI  
Up to 5MP4 Ch. HDCVI/AHD/TVI  
Up to 8MP8 Ch. HDCVI/AHD/TVI  
Up to 2MP

IP Video Input

1 Ch. Up to 2MP

2 Ch. Up to 6MP

4 Ch. Up to 8MP

2 Ch. Up to 6MP

Audio Input/Output

1Ch. In / 1Ch. Out

1Ch. In / 1Ch. Out

1Ch. In / 1Ch. Out

1Ch. In / 1Ch. Out

Recording

2MP: 25/30FPS  
720P: 25/30FPS5MP: 25FPS  
4MP: 25/30FPS4K: 25/30FPS  
5MP: 25FPS2MP: 25/30FPS  
720P: 25/30FPS

Video Output

1 Port HDMI : 2MP  
1 Port VGA: 2MP1 Port HDMI : 2MP  
1 Port VGA: 2MP1 Port HDMI : 4K  
1 Port VGA: 2MP1 Port HDMI : 2MP  
1 Port VGA: 2MP

SATA Interface

1 HDD up to 6TB

1 HDD up to 16TB

1 HDD up to 16TB

1 HDD up to 6TB

Network Interface

1 RJ45 100M

1 RJ45 100M

1 RJ45 100M

1 RJ45 100M

Chassis

Cooper 1U

Compact 1U

Compact 1U

Cooper 1U

Other Features

H.265+/H.265/H.264+/H.264

AI Coding/H.265+/H.265/H.264+/H.264,  
Wiz SenseAI Coding/H.265+/H.265/H.264+/H.264,  
Wiz Sense

AI Codin/H.265+/H.265/H.264+/H.264

42

43

44

45

Dahua

DH-XVR5108HS-I3

DH-XVR5108HS-4KL-I3

DH-XVR5116HS-I3

DH-XVR1B16-I



Price (Rials)	۴۶,۷۵۰,۰۰۰	۷۸,۱۰۰,۰۰۰	۸۰,۸۵۰,۰۰۰	۴۱,۸۰۰,۰۰۰
<b>VXR Type</b>	8 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	8 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	16 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	16 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP
<b>Analog Video Input</b>	8 Ch. HDCVI/AHD/TVI Up to 5MP	8 Ch. HDCVI/AHD/TVI Up to 8MP	16 Ch. HDCVI/AHD/TVI Up to 5MP	16 Ch. HDCVI/AHD/TVI Up to 2MP
<b>IP Video Input</b>	4 Ch. Up to 6MP	8 Ch. Up to 4K	8 Ch. Up to 6MP	2 Ch. Up to 6MP
<b>Audio Input/Output</b>	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out
<b>Recording</b>	5MP: 25FPS 4MP:25/30FPS	4K:25/30FPS 5MP: 25FPS	5MP: 25FPS 4MP: 25/30FPS	2MP: 25/30FPS 720P: 25/30FPS
<b>Video Output</b>	1 Port HDMI : 2MP 1 Port VGA: 2MP	1 Port HDMI : 4k 1 Port VGA: 2MP	1 Port HDMI :4k 1 Port VGA : 2MP	1 Port HDMI : 2MP 1 Port VGA: 2MP
<b>SATA Interface</b>	1 HDD up to 16TB	1 HDD up to 16TB	1 HDD up to 6TB	1 SSD up to 1TB
<b>Network Interface</b>	1 RJ45 100M	1 RJ45 1000M	1 RJ45 1000M	1 RJ45 1000M
<b>Chassis</b>	Compact 1U	Compact 1U	Compact 1U	Standalone 1U
<b>Other Features</b>	Smart H.265+ and H.265 dual-stream video compression, Wiz Sense	Smart H.265+ and H.265 dual-stream video compression, Wiz Sense	Smart H.265+ and H.265 dual-stream video compression	H.265+/H.265 dual-stream video compression , Supports Full-channel AI-Coding

46

47

48

Dahua

DH-XVR5216AN-4KL-I3

DH-XVR5216AN-I3

DH-XVR5232AN-I3



Price (Rials)	۱۳۹,۷۰۰,۰۰۰	۹۵,۷۰۰,۰۰۰	۱۷۳,۸۰۰,۰۰۰
<b>XVR Type</b>	16 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	16 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	32 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP
<b>Analog Video Input</b>	16 Ch. HDCVI/AHD/TVI Up to 4K	16 Ch. HDCVI/AHD/TVI Up to 5MP	32 Ch. HDCVI/AHD/TVI Up to 5MP
<b>IP Video Input</b>	16 Ch. Up to 8MP	8 Ch. Up to 6MP	16 Ch. Up to 6MP
<b>Audio Input/Output</b>	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out
<b>Recording</b>	4K: 25/30FPS 5MP:25FPS	5MP: 25FPS 4MP:25/30FPS	5MP: 25FPS 4MP: 25/30FPS
<b>Video Output</b>	1 Port HDMI :4k 1 Port VGA : 1080p	1 Port HDMI : 2MP 1 Port VGA: 2MP	1 Port HDMI :4k 1 Port VGA : 2MP 1 Port CVBS
<b>SATA Interface</b>	2 HDD up to 16TB	2 HDD up to 16TB	2 HDD up to 16TB
<b>Network Interface</b>	1 RJ45 1000M	1 RJ45 1000M	1 RJ45 1000M
<b>Chassis</b>	Standalone 1U	1U	Compact 1U
<b>Other Features</b>	Smart H.265+ and H.265 dual-stream video compression, Wiz Sense	Smart H.265+ and H.265 dual-stream video compression, IoT and POS capabilities, Wiz Sense	Smart H.265+ and H.265 dual-stream video compression, IoT and POS capabilities, Wiz Sense